TABLE OF CONTENTS

No. 1 January–February

Parasitism of fungi on vascular plants, E. S. LUTTRELL 1
Fungi of the Chesapeake Bay and its tributaries IV. Three new species from the Patuxent River, C. A. SHEARER 16
Ascospore germination in *Phillipsia domingensis* and *P. lutea*, JOHN W. PADEN 25
Ultrastructural observations of meiosis within antheridia of *Achyla ambisexualis*, JOANNE TONTZ ELLZEY 32
Regulation of catabolism in *Nocardia erythropolis*, ROY H. L. PANG AND S. G. BRADLEY 48
Production of aflatoxin by cultures derived from conidia stored in the laboratory, R. A. BOLLER AND H. W. SCHROEDER 61
The influence of heterokaryotic conidia on the selective recovery of somatic diploids in *Aspergillus niger*, L. T. CHANG, CAROL TERRY, AND R. W. TUVESON 67
Cyanide-insensitive respiration in *Saprolegnia*, FRANK H. GLEASON 73
Distribution of *Epichloë typhina* (Ascomycetes) and its parasitic fly, JAN AND ERIKA KOHLMEYER 77
Two new families of Mucorales, J. J. ELLIS AND C. W. HESSELTINE 87
Lazulinospora, a new genus of Corticiaceae, and a note on *Tomentella atrocyanea*, H. H. BURDSALL, JR., AND M. J. LARSEN 96
*p*H-related color changes in certain species of *Lazulinospora*, *Pseudotomentella*, and *Tomentella*, H. H. BURDSALL, JR., AND E. C. SETLIFF 101
Principal wall carbohydrates in *Phlyctochytrium arcticum* and *Rhizophydium patellarium* (Chytridiales), S. GERHART, D. J. S. BARR, AND H. K. MORITA 107
Zygospores in two *Mortierella* species with "stylospores," CHIU-YUAN CHEIN, E. G. KUHLMAN, AND W. GAMS 114
A new *Gyrothrix* in culture and a key to species, JOHN L. CUNNINGHAM 122
Scanning electron microscope studies on ascospores of homothallic species of *Neurospora*, W. LENA AUSTIN, LAFAYETTE FREDERICK, AND IVAN L. ROTH 130
A qualitative study of cellulose distribution in *Ceratocystis* and *Europhium*, THOMAS R. JEWELL 139
Some aspects of morphology and development in the Chytridiales, MARTHA K. ROANE AND ROBERT A. PATERSON 147

Brief Articles

LARSEN on *Pseudotomentella* 165
MCGINNIS on preparation of temporary and permanent mounts 169
POLLACK AND ELLETT on *Mycocentrospora verrucosa* 170
MOSS on nuclear cytology of *Stachylina grandispora* (Trichomycetes) 173
MONOSON AND PIKUL on a new species of *Harposporium* 178
UPADHYAY AND KENDRICK on a new *Graphium*-like genus 181
REDHEAD on a new species of *Campanella* 183
LOWY on *Amanita muscaria* and the thunderbolt legend 188
ARNOLD AND CARTER on redisposition of *Fusicoccum elaeagni* to *Phomopsis* 191
MCLAUGHLIN on fruitbody formation by *Tylopilus felleus* 197
Reviews 203
Briefly Noted 211

No. 2 March–April

Notes on the genus *Trichopezizella* with descriptions of new taxa, J. H. HAINES 213
Rust fungi with *Caeoma*-like sori on conifers, ROGER S. PETERSON 242
The effect of zinc on growth and sclerotial formation in *Whetzelinia sclerotiorum*, ROGELIO R. VEGA AND DUANE LE TOURNEAU 256
Amino acid requirements for axenic growth of *Tieghemiomyces parasiticus*, FRANK L. BINDER AND H. L. BARNETT 265
Ultrastructure of *Thraustochytrium* sp. zoospores. IV. External morphology with notes on the zoospores of *Schizochytrium* sp., FREDERICK Y. KAZAMA 272
Setosphaeria prolata, the ascigerous state of *Exserohilum prolatum*, K. J. LEONARD AND EDNA G. SUGGS 281
Typhula erythropus: field history, germination of basidiospores, mycelial growth, and sclerotial formation, R. E. KOSKE 298
The ultrastructure of sporogenesis in the pycnial stage of *Puccinia sorghi*, F. H. J. RIJKENBERG AND SUSARAH J. TRUTER 319
Polyacetylene production in *Clitocybe truncicola:* effect of mating-type combination, SUSAN CAREY, MARJORIE ANCHEL, AND GEORGE BISTIS 327
Sporobolomycetaceae in Kansas, S. M. PADY 333

Brief Articles

SHIGO on effects of Mn, Ca, Zn, and Fe on growth and pigmentation 339
DUMONT on some tropical *Lambertella* species 341
POLLACK AND UECKER on *Monosporascus cannonballus* 346
SCHROEDER ET AL. on culture of *Physarum gyrosum* 349
HEATH on centrioles and mitosis in some oömycetes 354
UENO ET AL. on sporidesmin in a Texas isolate of *Pithomyces chartarum* 360
RITCHIE AND SLOVIN on *Protoachlya polysporus* 362
BOTHAST AND FENNELL on a medium for rapid identification 365
KOWALSKI on two species of *Trichia* 369
COUCH ET AL. on a new fungus which attacks mosquitoes and Diptera 374
Reviews 380

No. 3 May–June

Evidence for diploidy in *Achlya bisexualis* based on inheritance of cycloheximide resistance, L. L. LASURE AND D. H. GRIFFIN 391
Calcium deposition in the myxomycete *Didymium squamulosum*, RALPH A. GUSTAFSON AND E. LAURENCE THURSTON 397
Sequential biosynthesis of ribonucleic acids during germination of teliospores of *Ustilago maydis*, R. K. TRIPATHI AND DAVID GOTTLIEB 413
Culture and cytological development of *Coprotus lacteus* (Pezizales), LESLIE PAUL KISH 422
Effects of ^{60}Co gamma irradiation on aflatoxin B_1 and B_2 production by *Aspergillus flavus*, KENNETH L. APPLEGATE AND JOHN R. CHIPLEY 436
Morphology and development of *Termitaria snyderi*, SAEED R. KHAN AND JAMES W. KIMBROUGH 446
A new *Echinopodospora* with a *Chrysosporium* conidial state, S. C. JONG AND E. E. DAVIS 463
Use of syringaldazine for detection of laccase in sporophores of wood rotting fungi, JOHN M. HARKIN, MICHAEL J. LARSEN, AND JOHN R. OBST 469
An ultrastructural examination of the structure and germination of asexual propagules of four mucoralean fungi, MICHAEL J. DYKSTRA 477
A case of phaeohyphomycosis caused by a new species of *Phialophora*, LIBERO AJELLO, LUCILLE K. GEORG, ROY T. STEIGBIGEL, AND C. J. K. WANG 490
Fungal succession on needles and young twigs of old-growth Douglas fir, MARTHA SHERWOOD AND GEORGE CARROLL 499

Effects of acenaphthene on nuclear division of *Basidiobolus ranarum*, MARILYN M. HOOVER AND ANTHONY E. LIBERTA 507

Brief Articles

McGINNIS AND AJELLO on a new species of *Exophiala* 518
POHLAD AND REYNOLDS on *Treubiomyces* 521
ROCKETT AND KRAMER on sporocarp production in basidiomycetes 524
ROCKETT ET AL. on measuring spore production 526
PETERSEN on cultures of *Lentaria byssiseda* 530
CUMMINS AND POLLACK on rust fungi of Bromeliaceae 533
QUJEZDSKY AND SZANISZLO on conidial ontogeny in *Phialophora dermatitidis* 537
CHAPMAN on thermophilic fungi 542
BAXTER on Mexican species of *Ravenelia* 546
HENNEN AND BAXTER on western North American *Puccinia* species 549
Reviews 556
Briefly Noted 559

No. 4 July–August

Morphology of a new species of *Aulacostroma* (Hemisphaeriales), E. S. LUTTRELL AND B. N. MUTHAPPA 563
Formation of extracellular 3-D-hydroxypalmitic acid by *Saccharomycopsis malanga*, C. P. KURTZMAN, R. F. VESONDER, AND M. J. SMILEY 580
Lasiothelebolus, a new genus of the Thelebolaceae (Pezizales), JAMES W. KIMBROUGH AND E. ROBENA LUCK-ALLEN 588
Rhizopus and *Chlamydomucor* strains surveyed for milk-clotting, amylolytic, and antibiotic activites, JOHN J. ELLIS, HWA L. WANG, AND CLIFFORD W. HESSELTINE 593
Temperature response of *Endogone mycorrhiza* on soybean roots, N. C. SCHENCK AND V. N. SCHRODER 600
Fine structure of plasmodesmata in a chytrid, MARTHA J. POWELL 606
Variability of zoospore discharge in species of the genus *Dictyuchus*, DAVID E. PADGETT AND R. L. SEYMOUR 615
A second heterothallic *Aspergillus*, K. J. KWON-CHUNG AND SANG J. KIM 628
The morphology of *Lagenidium callinectes* I. Vegetative development, DAVID GOTELLI 639
The role of lichens and associated fungi in the chemical weathering of rock, MICHAEL E. WILLIAMS AND EMANUEL D. RUDOLPH 648
Allescheria boydii: wild type and a variant from human pulmonary allescheriasis, ARIF S. EL-ANI 661
Mycoflora of the habitat and midgut of the fiddler crab, *Uca pugilator*, GERALD Y. PITTS AND G. T. COWLEY 669
Sagenoma, a new genus of Eurotiaceae, A. C. STOLK AND G. F. ORR 676
Taxonomic value of reproductive cell size in the genus *Pythium*, F. F. HENDRIX AND W. A. CAMPBELL 681

Brief Articles

OLIVE AND STOIANOVITCH on a cellular slime mold with flagellated cells 685
SHERWOOD on *Myriophacidium*, a new genus of Rhytismataceae 691
SPARROW on *Physoderma maydis* 693
PERKINS on reassignment of *Labyrinthula minuta* to *Labyrinthuloides* 697
BURDSALL AND GILBERTSON on a new species of *Platygloea* 702
DUMONT on *Pseudociboria* 706
GRAND AND MENGE on sclerotia of *Cristulariella pyramidalis* 712
HESLER on name corrections in *Entoloma* 715
Reviews 718
Briefly Noted 736

No. 5 September–October

Frank Dunn Kern (1883–1973), C. L. FERGUS, R. D. SCHEIN, AND JOHN S. BOYLE 739
Polyacrylamide gel electrophoresis and numerical taxonomy of *Taphrina caerulescens* and *Taphrina deformans*, R. D. SNIDER AND C. L. KRAMER 743
An electrophoretic protein analysis and numerical taxonomic study of the genus *Taphrina*, R. D. SNIDER AND C. L. KRAMER 754
Fatty acid ratios of lipid solvent fractions in *Taphrina*, JOHN LESLIE WATSON CHARLES L. KRAMER 773
Three new species of *Phanerochaete* (Aphyllophorales, Corticiaceae), H. H. BURDSALL, JR., AND R. L. GILBERTSON 780
The genus *Sphaerophragmium*, H. L. MONOSON 791
Factors affecting conidial dimensions of a *Drechslera* species, E. G. RUPPEL 803
Two new species of inoperculate discomycetes, V. P. TEWARI AND R. N. SINGH 808
Periodicity and total spore production by lignicolous basidiomycetes, TIMOTHY R. ROCKETT AND C. L. KRAMER 817
Studies of *Phytophthora citricola*, isolated from *Persea americana*, G. A. ZENTMYER, LAURA JEFFERSON, C. J. HICKMAN, AND YUNG CHANG-HO 830
The morphology of *Lagenidium callinectes* II. Zoosporogenesis, DAVID GOTELLI 846
Two unusual chytridiaceous fungi, T. W. JOHNSON, JR., AND CHARLES E. MILLER 859

Brief Articles

MAAS GEESTERANUS on a response to Dr. K. A. Harrison 868
PRODOMOU AND CHAPMAN on *Papulospora thermophila* 876
HULTON AND MORGAN-JONES on improved rapid nuclear staining technique 881
FARR on a second species of *Trichia* with clustered spores 882
FARR AND KOWALSKI on a new species of *Calomyxa* from the Andes 884
FARR on earlier names for *Hemitrichia stipitata* 887
KALYANASUNDARAM on laboratory cultivation of *Lamproderma scintillans* 888
CUMMINS on three new taxa of Uredinales 892
PAXTON AND ROGERS on powdery mildew of soybeans 894
Reviews 897
Briefly Noted 905

No. 6 November–December

Structure and development of *Lasiobolus monascus*, a new species of Pezizales, Ascomycetes, JAMES W. KIMBROUGH 907
Metabolism of *Cokeromyces poitrasii* grown in glucose-limited continuous culture at controlled oxygen concentrations, P. J. ROGERS AND F. H. GLEASON 919
The biology of sporulation of selected Tremellales, TIMOTHY R. ROCKETT AND C. L. KRAMER 926
Some Asian fermented foods and beverages and associated fungi, LEKH R. BATRA AND PATRICIA D. MILLNER 942
Clitocybe illudens: its cultivation, chemistry, and classification, SUSAN T. CAREY 951
Genetic distance among certain species of *Mucor*, DANIEL L. STOUT AND CHARLES R. SHAW 969
Claviceps purpurea on *Spartina* in coastal marshes, LIONEL N. ELEUTERIUS AND SAMUEL P. MEYERS 978
Rhodophylloid fungi of the Pacific Coast (United States) IV: infrageneric concepts in *Entoloma*, *Nolanea*, and *Leptonia*, DAVID L. LARGENT 987
Some observations on the ultrastructure of *Epicoccum nigrum*, BETTIE DUNCAN AND SISTER ANN CHRISTOPHER HERALD 1022

Production of oospores by *Phytophthora parasitica* in liquid medium, RICHARD C. HONOUR AND PETER H. TSAO 1030

Brief Articles

DUMONT on *Phialea microspora* and *Helotium atrosubiculatum* 1039
ROANE ET AL. on *Endothia gyrosa* 1042
CULBERSON AND HALE on range of the lichen *Parmelia eurysaca* 1047
HENDRIX AND CAMPBELL on *Pythium sylvaticum* and related fungi 1049
HWANG AND KO on *Calonectria crotalariae* 1053
CLEMENÇON on acid phosphatase in basidia of *Lyophyllum* and *Calocybe* 1055
Reviews 1059
Notices 1061
Index to Volume 66 1063

U. S. POSTAL SERVICE

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION

(Act of August 12, 1970: Section 3685, Title 39, United States Code)

SEE INSTRUCTIONS ON PAGE 2 (REVERSE)

1. TITLE OF PUBLICATION: MYCOLOGIA

2. DATE OF FILING: 23 SEPTEMBER 1974

3. FREQUENCY OF ISSUE: BIMONTHLY (6 times a year)

4. LOCATION OF KNOWN OFFICE OF PUBLICATION *(Street, city, county, state, ZIP code) (Not printers)*: THE NEW YORK BOTANICAL GARDEN BRONX, NEW YORK 10458

5. LOCATION OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHERS *(Not printers)*: THE NEW YORK BOTANICAL GARDEN BRONX, NEW YORK 10458

6. NAMES AND ADDRESSES OF PUBLISHER, EDITOR, AND MANAGING EDITOR

PUBLISHER *(Name and address)*: THE NEW YORK BOTANICAL GARDEN BRONX, NEW YORK 10458

EDITOR *(Name and address)*: DR. RICHARD K. BENJAMIN, RANCHO SANTA ANA BOTANIC GARDEN, CLAREMONT, CALIF. 91711

MANAGER EDITOR *(Name and address)*: Dr. CLARK T. ROGERSON, THE NEW YORK BOTANICAL GARDEN, BRONX, NEW YORK 10458

7. OWNER *(If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given.)*

NAME	ADDRESS
Wholly owned by:	
THE NEW YORK BOTANICAL GARDEN	BRONX, NEW YORK 10458

8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES *(If there are none, so state)*

NAME	ADDRESS
NONE	NONE

9. FOR OPTIONAL COMPLETION BY PUBLISHERS MAILING AT THE REGULAR RATES (Section 132.121, Postal Service Manual)

39 U. S. C. 3626 provides in pertinent part: "No person who would have been entitled to mail matter under former section 4359 of this title shall mail such matter at the rates provided under this subsection unless he files annually with the Postal Service a written request for permission to mail matter at such rates."

In accordance with the provisions of this statute, I hereby request permission to mail the publication named in Item 1 at the reduced postage rates presently authorized by 39 U. S. C. 3626.

(Signature and title of editor, publisher, business manager, or owner)

Joseph G. Sutton, Manager of Publications for THE NEW YORK BOTANICAL GARDEN

10. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES *(Section 132.122, Postal Manual)*

(Check one)

The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes: [XX] Have not changed during preceding 12 months [ ] Have changed during preceding 12 months *(If changed, publisher must submit explanation of change with this statement.)*

11. EXTENT AND NATURE OF CIRCULATION	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NUMBER OF COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
A. TOTAL NO. COPIES PRINTED *(Net Press Run)*	3400	3434
B. PAID CIRCULATION 1. SALES THROUGH DEALERS AND CARRIERS, STREET VENDORS AND COUNTER SALES	0	0
2. MAIL SUBSCRIPTIONS	2700	2711
C. TOTAL PAID CIRCULATION	2700	2711
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS 1. SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES	8	8
2. COPIES DISTRIBUTED TO NEWS AGENTS, BUT NOT SOLD	0	0
E. TOTAL DISTRIBUTION *(Sum of C and D)*	2708	2719
F. OFFICE USE, LEFT-OVER, UNACCOUNTED, SPOILED AFTER PRINTING	692	715
G. TOTAL *(Sum of E & F—should equal net press run shown in A)*	3400	3434

▶ *(Signature of editor, publisher, business manager, or owner)*

I certify that the statements made by me above are correct and complete.

Joseph G. Sutton
Manager of Publications
The New York Botanical Garden
Bronx, New York 10458

PS Form 3526 July 1971

INDEX TO VOLUME LXVI*

The Index for Volume 66 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

The Subject Index includes authors, titles, key words of titles and other subject matter, biographies, reviews, notices, etc.

Absence of sporidesmin in a Texas isolate of Pithomyces chartarum 360
Acid phosphatase activity in the basidia of Lyophyllum and Calocybe 1055
Adaptation
  Nocardia 54
Aebi, Bertha. Untersuchungen über Discomyceten aus der Gruppe Tapesia—Trichobelonium; review 203
Aflatoxin 61
Aflatoxin production
  Aspergillus 436
Agaricaceae of Michigan; review 560
Ahmadjian, Vernon and Mason E. Hale (eds). The lichens; review 898
Ainsworth, G. C., Frederick K. Sparrow, and Alfred S. Sussman (eds.) The fungi—an advanced treatise. Vol. IVA, a taxonomic review with keys: Ascomycetes and Fungi Imperfecti; review 380
Ainsworth, G. C., Frederick K. Sparrow, and Alfred S. Sussman (eds). The fungi—an advanced treatise. Vol. IVB, a taxonomic review with keys: Basidiomycetes and lower fungi; review 718
Ajello, Libero. See McGinnis and Ajello 518
———, Lucille K. Georg, Roy T. Steigbigel, and C. J. K. Wang. A case of phaehyphomycosis caused by a new species of Phialophora 490
Al-Doory, Youself. Chromomycosis; review 719
Algae
  Bulbochaete 611
  Dictyopteris 964
  Hydrodictyon 150
  Nitella 358
  Oedogonium 150
  Protococcus 503
  Spirogyra 150
  Stigeoclonium 150
  Trentepohlia 503
Allescheria boydii: wild type and a variant from human pulmonary allescheriasis 661
Amanita muscaria and the thunderbolt legend in Guatemala and Mexico 188
Amino acid requirements for the axenic growth of Tieghemiomyces parasiticus 265
Amylolytic strains
  Actinomucor 593
  Rhizopus 593
Anchel, Marjorie. See Carey et al. 327
Animal
  Caenorhabditis 180
  Uca 669
Annual review of phytopathology, volume 11; review 390
Antheridia
  Achyla 32
Antibiotic
  Actinomucor 593
  Rhizopus 593
Applegate, Kenneth L., and John R. Chipley. Effects of ^{60}CO gamma irradiation on aflatoxin B_1 and B_2 production by Aspergillus flavus 436

* Volumes 1 through 58 have been indexed as to fungous taxa, hosts, and subject. These three indices have been combined in a single publication and issued as: MYCOLOGIA INDEX, VOLUMES 1 THROUGH 58 (1909–1966). vxi + 1108 pages. Price: $40.00. Available from: Stechert-Hafner Service Agency, 866 Third Ave., New York, N. Y. 10022.

Arizona
Platygloea 702
Arnold, Ruth Horner and J. C. Carter. Fusicoccum elaeagni, the cause of a canker and dieback of Russian olive, redescribed and redisposed to the genus Phomopsis 191
Ascomycetes 907
Ascospore germination in Phillipsia domingensis and P. lutea 25
Asher's guide to botanical periodicals; review 736
Ashworth, J. M. and J. E. Smith (eds.). Microbial differentiation; review 207
Austin, W. Lena and Lafayette Frederick. Scanning electron microscope studies on ascospores of homothallic species of Neurospora 130
Auriscalpiaceae 868
Axenic culture
Tylopilus 197
Axenic growth
Tieghemiomyces 265

Bacterial and fungal diseases of plants in the tropics; review 734
Baker, K. F. (ed.). Annual review of phytopathology, volume 11; review 390
Ballistospores 334
Barnett, H. L. See Binder and Barnett 265
Barr. D. J. S. See Gerhart et al 107
Batra, Lekh R., and Patricia D. Millner. Some Asian fermented foods and beverages, and associated fungi 942
Baxter, John W. See Hennen and Baxter 549
———. Studies of Mexican species of Ravenelia 546
Beneke, E. S. [Review of] Chromomycosis 719
Berlese, A. N. Icones fungorum; review 211
Beverages 942
Binder, Frank L. and H. L. Barnett. Amino acid requirements for the axenic growth of Tieghemiomyces parasiticus 265
Biographies
Kern, Frank D. 739
Biology of sporulation of selected Tremellales 926
Bistis, George. See Carey et al 327
Boerema, G. H., and Maria M. J. Dorenbosch. The Phoma and Ascochyta species described by Wollenweber and Hochapfel in their study on fruit-rotting; review 721
Boller, R. A. and H. W. Schroeder. Production of aflatoxin by cultures derived from conidia stored in the laboratory 61
Bothast, R. J. and D. I. Fennell. A medium for rapid identification and enumeration of Aspergillus flavus and related organisms 365
Bourdot, H. and A. Galzin. Hyménomycètes de France; review 211
Boyle, John S. See Fergus et al. 739
Bradley, S. G. See Pang and Bradley 48
Bromeliaceae
rust fungi 533
Bryophytes
Anthoceros 358
Marchantia 358
Burdsall, Harold H., Jr., and R. L. Gilbertson. A new species of Platygloea occurring on Peniophora tamaricicola in Arizona 702
——— and ———. Three new species of Phanerochaete (Aphyllophorales, Corticiaceae) 780
Burdsall, H. H., Jr. and M. J. Larsen. Lazulinospora, a new genus of Corticiaceae, and a note on Tomentella atrocyanea 96
Burdsall, H. H., Jr. and E. C. Setliff. pH-related color changes in certain species of Lazulinospora, Pseudotomentella, and Tomentella 101
Byrde, R. J. W., and C. V. Cutting (Eds.). Fungal pathogenicity and the plant's response; review 722

Cain, R. F., and J. C. Krug. [Review of] Nordic Sordariaceae s. lat. 725
Calcium deposition in the myxomycete Didymium squamulosum 397
Campbell, W. A. See Hendrix and Campbell 681, 1049
Carey, Susan T. Clitocybe illudens: its cultivation, chemistry, and classification 951
———, Marjorie Anchel and George Bistis. Polyacetylene production in Clitocybe truncicola: effect of mating-type combination 327
Carroll, George. See Sherwood and Carroll 499
Carter, Walter. Insects in relation to plant disease; review 736
Case of phaehyphomycosis caused by a new species of Phialophora 490
Catabolism
Nocardia 48
Carter, J. C. See Arnold and Carter 191
Cellular slime mold with flagellate cells 685
Cellulose distribution 139
Centrioles and mitosis in some Oömycetes 354

Chang, L. T., Carol Terry and R. W. Tuveson. The influence of heterokaryotic conidia on the selective recovery of somatic diploids in Aspergillus niger 67
Chang-Ho, Yung. See Zentmyer et al. 830
Chapman, Eugene S. Effect of temperature on growth rate of seven thermophilic fungi 542
———. See Prodromou and Chapman 876
Chesapeake Bay, fungi 16
Chien, Chiu-Yuan, E. G. Kuhlman and W. Gams. Zygospores in two Mortierella species with "stylospores" 114
Chipley, John R. See Applegate and Chipley 436
Chromomycosis; review 719
Chemistry
  Clitocybe 951
Chytridiaceous fungi 859
Chytridiaceous parasites 693
Chytridiales 107
  Morphology 147
Clavarias of the United States and Canada; review 559
Claviceps purpurea on Spartina in coastal marshes 978
Clémençon, Heinz. Acid phosphatase activity in the basidia of Lyophyllum and Calocybe 1055
Clitocybe illudens: its cultivation, chemistry, and classification 951
Cogoli, John E. Photo-offset fundamentals; review 736
Coker, William Chambers. The Clavarias of the United States and Canada; review 559
Collins, Tennyson I. See Rockett et al 526
Conidial ontogeny in Phialophora dermatitidis 537
Conifer rusts 242
Corticiaceae 96
Couch, J. N., S. V. Romney and Balakrishna Rao. A new fungus which attacks mosquitoes and related Diptera 374
Crab, mycoflora 669
Culberson, William Louis, and Mason E. Hale, Jr. The range of the lichen Parmelia eurysaca 1047
Cultivation
  Clitocybe 951
Culture and cytological development of Coprotus lacteus (Pezizales) 422
Culture of Physarum gyrosum 349
Cummins, George B. Three new taxa of Uredinales 892
——— and Flora G. Pollack. The rust fungi of Bromeliaceae 533
Cunningham, John L. A new Gyrothrix in culture and a key to species 122
Cutting, C. V. See Byrde and Cutting 722
Cyanide-insensitive respiration in Saprolegnia 73
Cycloheximide resistance 391
Cytochemical analysis 143
Cytology
  Basidiobolus 507
  Coprotus 422
  Stachylina 173

Davis, E. E. See Jong and Davis 463
Day, Peter R. Genetics of host-parasite interaction; review 905
Deighton, F. C. Studies on Cercospora and allied genera. IV. Cercosporella Sacc., Pseudocercosporella gen. nov. and Pseudocercosporidium gen. nov.; review 559
Demoulin, Vincent. [Review of] Die Lycoperdaceae DDR (mit Nachtragen 1962–1971 des Verfassers) 902
Dennis, R. W. G. [Review of] The genera Marasmiellus, Crepidotus and Simocybe in the neotropics 382
Die Lycoperdaceae der DDR (mit Nachtragen 1962–1971 des Verfassers); review 902
Die Pilze Schlesiens; review 561
Différenciation fongique; review 738
Dindal, Daniel L. (ed.). Proceedings of the first Soil Microcommunities Conference; review 737
Diploids
  Aspergillus 67
Distribution of Epichloë typhina (Ascomycetes) and its parasitic fly 77
Dorenbosch, Maria M. J. See Boerema and Dorenbosch 721
Dumont, K. P. Sclerotiniaceae V. on some tropical Lambertella species 341
———. Sclerotiniaceae VI. Pseudociboria 706
———. Sclerotiniaceae VII. On Phialea microspora and Helotium atrosubiculatum 1039
Duncan, Bettie, and *Sister* Ann Christopher Herald. Some observations on the ultrastructure of Epicoccum nigrum 1022
Dykstra, Michael J. An ultrastructural examination of the structure and germination of asexual propagules of four Mucoralean fungi 477

Earlier names for Hemitrichia stipitata (Myxomycetes) 887
Ecology 499
lichens 648
Effects of acenaphthene on nuclear division of Basidiobolus ranarum 507
Effects of manganese, calcium, zinc, and iron on growth and pigmentation of Trichocladium canadense, Phialophora melinii, Hypoxylon rubiginosum, Daldinia concentrica, and Cytospora decipiens 339
Effects of nitrogen sources at various temperatures on Papulospora thermophila 876
Effects of ^{60}CO gamma irradiation on aflatoxin B_1 and B_2 production by Aspergillus flavus 436
Effect of temperature on growth rate of seven thermophilic fungi 542
Effect of zinc on growth and sclerotial formation in Whetzelinia sclerotiorum 256
El-Ani, Arif S. Allescheria boydii: wild type and a variant from human pulmonary allescheriasis 661
Electrophoresis,
Taphrina 743
Electrophoretic protein analysis and numerical taxonomic study of the genus Taphrina 754
Eleuterius, Lionel N., and Samuel P. Meyers. Claviceps purpurea on Spartina in coastal marshes 978
Ellett, C. Wayne. See Pollack and Ellett 170
Ellis, J. J. and C. W. Hesseltine. Two new families of Mucorales 87
Ellzey, Joanne Tontz. Ultrastructural observations of meiosis within antheridia of Achlya ambisexualis 32
Endoparasite
Harposporium 178
Endothia gyrosa, causal pathogen of pin oak blight 1042
Erwin, Donald C. [Review of] Systemic fungicides 204
Eurotiaceae 676
Evidence for diploidy in Achyla bisexualis based on inheritance of cycloheximide resistance 391

Factors affecting conidial dimensions of a Drechslera species 803
Farr, Marie L. A second species of Trichia with clustered spores 882
———. Earlier names for Hemitrichia stipitata (Myxomycetes) 887
——— and Donald T. Kowalski. A new species of Calomyxa from the Andes 884
Fatty acid ratios of lipid solvent fractions in Taphrina 773
Fennell, D. I. See Bothast and Fennell 365
Fergus, C. L. See Schroeder et al. 349
———, R. D. Schein, and John S. Boyle. Frank Dunn Kern (1883–1973) 739
Fermented foods 942
Fine structure of plasmodesmata in a chytrid 606
Fisher, Fran E. (ed.). World directory of plant pathologists; review 906
Formation of extracellular 3-*d*-hydroxypalmitic acid by Saccharomycopsis malanga 580
Frederick, Lafayette. See Austin and Frederick 130
Fruitbody formation by Tylopilus felleus in axenic culture 197
Fundamentals of the fungi; review 900
Fungal pathogenicity and the plant's response; review 722
Fungal succession on needles and young twigs of old-growth Douglas fir 499
Fungi—an advanced treatise. Volume IVA, a taxonomic review with keys: Ascomycetes and Fungi Imperfecti; review 380
The fungi—an advanced treatise. Vol. IVB, a taxonomic review with keys: Basidiomycetes and lower fungi; [review] 718
Fungi of the Chesapeake Bay and its tributaries IV. Three new species from the Patuxent River 16
Fungicole
Platygloea 702
Fusicoccum elaeagni, the cause of a canker and dieback of Russian olive, redescribed and redisposed to the genus Phomopsis 191

Galzin, A. See Bourdot and Galzin 211
Gams, W. See Chien et al 114
Genera Marasmiellus, Crepidotus and Simocybe in the neotropics; review 382
Genetic distance among certain species of Mucor 969
Genetics
Achlya 391
Allescheria 661
Aspergillus 67
Clitocybe 327
Genetics of host-parasite interaction; review 905
Gerhart, S., D. J. S. Barr and H. K. Morita. Principal wall carbohydrates in Phlyctochytrium arcticum and Rhizophydium patellarium (Chytridiales) 107
Genus Sphaerophragmium 791

Georg, Lucille K. See Ajello et al. 490
Germination of basidiospores
Typhula 298
Germination of Calonectria crotalariae conidia and ascospores on soil 1053
Giam, C. S. See Ueno et al. 360
Gilbertson, R. L. See Burdsall and Gilbertson 702
———. See Burdsall and Gilbertson 780
Gilled mushrooms (Agaricaceae) of Michigan and the Great Lakes region; review 560
Gleason, Frank H. Cyanide-insensitive respiration in Saprolegnia 73
———. See Rogers and Gleason 919
Glucose-limited culture 919
Gotelli, David. The morphology of Lagenidium callinectes. I. Vegetative development 639
———. The morphology of Lagenidium callinectes II. Zoosporogenesis 846
Gottlieb, David. See Tripathi and Gottlieb 413
Grand, L. F., and J. A. Menge. Sclerotia of Cristulariella pyramidalis in nature 712
Gray, William D. The use of fungi as food and in food processing, Part II; review 559
Gregory, P. H. The microbiology of the atmosphere; review 384
Griffin, D. H. See Lasure and Griffin 391
Growth
Nocardia 50
Guatemala
Amanita 188
Gustafson, Ralph A., and E. Laurence Thurston. Calcium deposition in the myxomycete Didymium squamulosum 397

Hacskaylo, E., and C. M. Tompkins. World literature on Mycorrhizae; review 737
Haines, J. H. Notes on the genus Trichopezizella with descriptions of new taxa 213
Hale, Mason E. See Ahmadjian and Hale 898
Hale, Mason E., Jr. See Culberson and Hale 1047
Hanlin, Richard T. [Review of] Fundamentals of the fungi 900
Harkin, John M., Michael J. Larsen, and John R. Obst. Use of syringaldazine for detection of laccase in sporophores of wood rotting fungi 469
Heath, I. Brent. Centrioles and mitosis in some Oömycetes 354
Hemisphaeriales 563
Hendrix, F. F., and W. A. Campbell. Taxonomic value of reproductive cell size in the genus Pythium 681
———, and W. A. Campbell. Taxonomy of Pythium sylvaticum and related fungi 1049
Hennebert, G. L. [Review of] Hyphomycetes, an account of Indian species, except Cercosporae 385
Hennen, Joe F., and John W. Baxter. Notes on western North American Puccinia species (Uredinales) 549
Herald, *Sister* Ann Christopher. See Duncan and Herald 1022
Hesler, L. R. Name corrections in Entoloma 715
Hess, W. M. [Review of] Scanning electron microscopy of ascosporic Aspergilli 723
Hesseltine, C. W. [Review of] A study on variability in Mucor hiemalis and related species 729
———. See Ellis and Hesseltine 87
Heterokaryotic conidia
Aspergillus 67
Hickman, C. J. See Zentmyer et al. 830
Hiratsuka, Yasuyuki. [Review of] A revised taxonomic account of Gymnosporangium 207
Hoover, Marilyn M., and Anthony E. Liberta. Effects of acenaphthene on nuclear division of Basidiobolus ranarum 507
Honour, Richard C., and Peter H. Tsao. Production of oospores by Phytophthora parasitica in liquid medium 1030
How to know the non-gilled fleshy fungi; review 730
Hulton, R. L., and J. F. Morgan-Jones. An improved rapid nuclear staining technique for permanent sections 881
Hwang, Shin-Chuan, and W. H. Ko. Germination of Calonectria crotalariae conidia and ascospores on soil 1053
Hyméonmycètes de France; review 211
Hyphomycetes, an account of Indian species, except Cercosporae; review 385
Hyphomycetes from Manitoba and Saskatchewan, Canada; review 390

Icones fungorum; review 211
Illinois
Harposporium 178
Improved rapid nuclear staining technique for permanent sections 881
Index of fungi; review 560

Influence of heterokaryotic conidia on the selective recovery of somatic diploids in Aspergillus niger 67
Insects
Anthomyia 78
Phaenocarpa 79
Phorbia 77, 79
Parasitic fly 77
Insect/plant relationships; review 390
Insects in relation to plant disease; review 736
Iron chelation 648
Ivimey-Cook, W. R. See McLean and Ivimey-Cook 561

Jahn, H. Mitteleuropäische Porlinge (Polyporaceae s. lato) und ihr Vorkommen in Westfalen; review 212
Jefferson, Laura, See Zentmyer et al. 830
Jewell, Thomas R. A qualitative study of cellulose distribution in Ceratocystis and Europhium 139
Johnson, T. W., Jr., and Charles E. Miller. Two unusual chytridiaceous fungi 859
Jong, S. C., and E. E. Davis. A new Echinopodospora with a Chrysosporium conidial state 463

Kalyanasundaram, Indira. Laboratory cultivation of Lamproderma scintillans 888
Kansas
Sporobolomycetaceae 333
Karsten, P. A. Mycologia Fennica; review 897
———. Symbolae ad Mycologiam Fennicam; review 897
Kauffman, C. H. The Agaricaceae of Michigan; review 560
———. The gilled mushrooms (Agaricaceae) of Michigan and the Great Lakes region; review 560
Kazama, Frederick Y. Ultrastructure of Thraustochytrium sp. zoospores. IV. External morphology with notes on the zoospores of Schizochytrium sp. 272
Kendrick, W. B. See Upadhyay and Kendrick 181
Kern, Frank Dunn (1883–1973) 739
Kern, F. D. A revised taxonomic account of Gymnosporangium; review 206
Keys
Echinopodospora species 467
Entoloma sections 995
Exophiala species 520
Gyrothrix species 127
Lazulinospora species 97
Leptonia subgenera and sections 1010
Nolanea sections and subsections 1002
Pseudotomentella species 167
Puccinia dovrensis varieties 554
rhodophylloid genera 991
rusts of Bromeliaceae 533
Saccharomycopsis species 586
Sphaerophragmium species 792
Trichopezizella subgenera, species, varieties 216
Keys to the fleshy Basidiomycetes of Florida; review 737
Khan, Saeed R., and James W. Kimbrough. Morphology and development of Termitaria snyderi 446
Kim, Sang J. See Kwon-Chung and Kim 628
Kimbrough, James W. See Khan and Kimbrough 446
———. Structure and development of Lasiobolus monascus, a new species of Pezizales, Ascomycetes 907
——— and E. Robena Luck-Allen. Lasiothelebolus, a new genus of the Thelebolaceae (Pezizales) 588
Kish, Leslie Paul. Culture and cytological development of Coprotus lacteus (Pezizales) 422
Ko, W. H. See Hwang and Ko 1053
Kohlmeyer, Erika. See Kohlmeyer and Kohlmeyer 77
Kohlmeyer, Jan and Erika Kohlmeyer. Distribution of Epichloë typhina (Ascomycetes) and its parasitic fly 77
KORF, R. P. [Review of] The fungi—an advanced treatise. Vol. IVB, a taxonomic review with keys: Basidiomycetes and lower fungi 718
———. [Review of] How to know the non-gilled fleshy fungi 730
———. [Review of] Mycologia Fennica 897
———. [Review of] Petter Adolf Karsten, collected mycological papers 897
———. [Review of] Sylloge fungorum omnium hucusque cognitorum, Vol. 26 557
———. [Review of] Symbolae ad Mycologiam Fennicam 897
———. [Review of] Thesaurus literature botanicae 557
———. [Review of] Untersuchungen über Discomyceten aus der Gruppe Tapesia—Trichobelonium 203
Koske, R. E. Typhula erythropus: field history germination of basidiospores, mycelial growth, and sclerotial formation 298

Kowlaski, Donald T. Notes on two species of Trichia 369
———. See Farr and Kowalski 884
Kramer, Charles L. [Review of] The microbiology of the atmosphere 384
———. See Rockett and Kramer 524, 817, 926
———. See Rockett et al. 526
———. See Snider and Kramer 743
———. See Snider and Kramer 754
———. See Watson and Kramer 773
Kreisel, H. Die Lycoperdaceae der DDR (mit Nachträgen 1962–1971 des Verfassers); review 902
Krug, J. C. See Cain and Krug 728
Kuhlman, E. G. See Chien et al. 114
Kurtzman, C. P., R. F. Vesonder, and M. J. Smiley. Formation of extracellular 3-d-hydroxypalmitic acid by Saccharomycopsis malanga 580
Kwon-Chung, K. J., and Sang J. Kim. A second heterothallic Aspergillus 628

Laboratory cultivation of Lamproderma scintillans 888
Laccase detection 469
Largent, David L. Rhodophylloid fungi of the Pacific Coast (United States) IV: infrageneric concepts in Entoloma, Nolanea, and Leptonia 987
Larsen, Michael J. See Burdsall and Larsen 96
———. See Harkin et al. 469
———. Some notes on Pseudotomentella 165
Lasiothelebolus, a new genus of the Thelebolaceae (Pezizales) 588
Lasure, L. L., and D. H. Griffin. Evidence for diploidy in Achlya bisexaulis based on inheritance of cycloheximide resistance 391
Lazulinospora, a new genus of Corticiaceae, and a note on Tomentella atrocyanea 96
Le Tourneau, Duane. See Vega and Le Tourneau 256
Leonard, K. J. and Edna G. Suggs. Setosphaeria prolata, the ascigerous state of Exserohilum prolatum 281
Liberta, Anthony E. See Hoover and Liberta 507
Lichens 648
The lichens; review 898
Locci, R. Scanning electron microscopy of ascosporic Aspergilli; review 723
Lowe, Josiah L. [Review of] Tropical polypores 556
Lowy, B. Amanita muscaria and the thunderbolt legend in Guatemala and Mexico 188
Luck-Allen, E. Robena. See Kimbrough and Luck-Allen 588
Lundqvist, Nils. Nordic Sordariaceae s. lat.; review 725
Luttrell, E. S. Parasitism of fungi on vascular plants 1
——— and B. N. Muthappa. Morphology of a new species of Aulacostroma (Hemisphaeriales) 563

Maas Geesteranus, R. A. A response to Dr. K. A. Harrison 868
Mallette, M. F. See Schroeder et al. 349
Marr, Currie D. and Daniel E. Stuntz. Ramaria of Western Washington; review 388
Marsh, R. W. (ed.). Systemic fungicides; review 204
Mating type
Clitocybe 327
McGinnis, Michael R. Preparation of temporary or permanent mounts of microfungi with undisturbed conidia 169
——— and Libero Ajello. A new species of Exophiala isolated from channel catfish 518
McLaughlin, David J. Fruitbody formation by Tylopilus felleus in axenic culture 197
McLean, R. C., and W. R. Ivimey-Cook. Textbook of theoretical botany, Volume 4; review 561
Medical mycology
Allescheria 661
Medium for rapid identification and enumeration of Aspergillus flavus and related organisms 365
Meiosis
Achlya 32
Menge, J. A. See Grand and Menge 712
Metabolism of Cokeromyces poitrasii grown in glucose-limited continuous culture at controlled oxygen concentrations 919
Methods
measurement of spore production 526
nuclear staining 881
permanent mounts 169
Mexico
Amanita 188
Meyers, Samuel P. See Eleuterius and Meyers 978
Microbial differentiation; review 207
Microbiology of the atmosphere; review 384
Milk-clotting
Actinomucor 593
Rhizopus 593
Miller, Charles E. See Johnson and Miller 859

Miller, Orson K., Jr. See Roane et al. 1042
Millner, Patricia D. See Batra and Millner 942
Mitchell, Ralph. [Review of] Modern methods in the study of microbial ecology 204
Mitosis
Oömycetes 354
Mitteleuropäsische Porlinge (Polyporaceae s. lato) und ihr Vorkommen in Westfalen; review 212
Modern methods in the study of microbial ecology; review 204
Monographia Uredinearum; review 561
Monoson, H. L. The genus Sphaerophragmium 791
——— and F. J. Pikul, Jr. A new endoparasitic species of Harposporium isolated from Illinois soil 178
Monosporascus cannonballus an unusual ascomycete in cantaloupe roots 346
Moore-Landecker, Elizabeth. Fundametals of the fungi; review 900
Morgan-Jones, J. F. See Hulton and Morgan-Jones 881
Morita, H. K. See Gerhart et al. 107
Morphology
Achlya 32
Chytridiales 147
Cunninghamella 477
Dictyuchus 397
Didymium 397
Epichloe 77
Epicoccum 1022
Haplosporangium 477
Hesseltinella 477
Lasiobolus 907
Mortierella 114
Neurospora 130
Phialophora 537
Phlyctochytrium 107
Puccinia 319
Pythium 681
Radiomyces 477
Rhizophydium 107
Schizochytrium 272
Thraustochytrium 272
Typhula 298
Morphology and development of Termitaria snyderi 446
Morphology of Lagenidium callinectes. I. Vegetative development 639
Morphology of Lagenidium callinectes II. Zoosporogenesis 846
Morphology of a new species of Aulacostroma (Hemisphaeriales) 563
Mosquito parasite
Coelomomyces 374
Moss, S. T. A note on the nuclear cytology of Stachylina grandispora (Trichomycetes, Harpellales) 173
Mount, M. S. [Review of] Fungal pathogenicity and the plant's response 722
Mucor 969–977
Mucorales 87
Murrill, William Alphonso. Keys to the fleshy Basidiomycetes of Florida; review 737
———. Tropical polypores; review 556
Mushrooms in the natural habitats; review 212
Muthappa, B. N. See Luttrell and Muthappa 563
Mycocentrospora verrucosa, the cause of foliar shot-hole of Euonymus 170
Mycoflora of the habitat and midgut of the fiddler crab, Uca pugilator 669
Mycologia Fennica; review 897
Mycologists Portraits
Kern, Frank Dunn, frontisp. (737)
Luttrell, E. S. 1 (frontisp)
Mycology guidebook; review 1059
Mycorrhiza
Endogone 600
Myriophacidium, a new genus of Rhytismataceae from western Oregon 690
Myxomycetes 887

Name corrections in Entoloma 715
Neuman, J. J. The Polyporaceae of Wisconsin; review 212
New collector to measure total spore production 526
New Echinopodospora with a Chrysosporium conidial state 463
New endoparasitic species of Harposporium isolated from Illinois soil 178
New fungus which attacks mosquitoes and related Diptera 374
New Graphium-like genus (conidial state of Ceratocystis) 181
New Gyrothrix in culture and a key to species 122
New species of Calomyxa from the Andes 884
New species of Campanella from North America 183
New species of Exophiala isolated from channel catfish 518
New species of Platygloea occurring on Peniophora tamaricicola in Arizona 702
Niederpruem, Donald J. [Review of] Microbial differentiation 207
Nitrogen effect
Papulospora 876
Nordic Sordariaceae s. lat.; review 725

Notes on Clavarioid fungi. XIV. Cultures of Lentaria byssiseda 530
Notes on western North American Puccinia species (Uredinales) 549
Note on the nuclear cytology of Stachylina grandispora (Trichomycetes, Harpellales) 173
Notes on the genus Trichopezizella with descriptions of new taxa 213
Notes on two species of Trichia 369
Notices 1061
Numerical taxonomy
Taphrina 743, 754

Observations on chytridiaceous parasites of phanerogams XXI. The endobiotic stage of Physoderma maydis 693
Obst, John R. See Harkin et al. 469
Olive, Lindsay S., and Carmen Stoianovitch. A cellular slime mold with flagellate cells 685
Oospores 1030
Orr, G. F. See Stolk and Orr 676
Oujezdsky, Karen B., and Paul J. Szaniszlo. Conidial ontogeny in Phialophora dermatitidis 537
Oxidation
Nocardia 52
Oxygen concentrations 919

Pacific Coast, rhodophylloid fungi 987
Paden, John W. Ascospore germination in Phillipsia domingensis and P. lutea 25
Padgett, David E., and R. L. Seymour. Variability of zoospore discharge in species of the genus Dictyuchus 615
Pady, S. M. Sporobolomycetaceae in Kansas 333
Pang, Roy H. L. and S. G. Bradley. Regulation of catabolism in Nocardia erythropolis 48
Parasitische Algen und Pilze Javas; review 561
Parasitism of fungi on vascular plants 1
Parmulariaceae 564
Paterson, Robert A. See Roane and Paterson 147
Patuxent River, fungi 16
Paxton, Jack D., and Donald P. Rogers. Powdery mildew of soybeans 894
Periodicity and total spore production by lignicolous Basidiomycetes 817
Perkins, Frank O. Reassignment of Labyrinthula minuta to the genus Labyrinthuloides 697
Petersen, Ronald H. [Review of] Ramaria of Western Washington 388
———. Notes on Clavarioid fungi. XIV. Cultures of Lentaria byssiseda 530
Peterson, Roger S. Rust fungi with Caeoma-like sori on conifers 242
Petter Adolf Karsten, collected mycological papers; review 897
Pezizales 588, 907
pH effect
Typhula 305
pH-related color changes in certain species of Lazulinospora, Pseudotomentella, and Tomentella 101
Phipps, Patrick. See Roane et al. 1042
Phoma and Ascochyta species described by Wollenweber and Hochapfel in their study of fruit-rotting; review 721
Photo-offset fundamentals; review 736
Physiology
Aspergillus 436
Basidiobolus 507
Cokeromyces 919
Coprotus 422
Nocardia 48
Saccharomycopsis 580
Saprolegnia 73
Tieghemiomyces 265
Typhula 298
Ustilago 413
Whetzelinia 256
Pikul, F. J., Jr. See Monoson and Pikul 178
Pin oak blight 1042
Pitts, Gerald Y., and G. T. Cowley. Mycoflora of the habitat and midgut of the fiddler crab, Uca pugilator 669
Plasmodesmata 606
Pohlad, B. R., and D. R. Reynolds. Treubiomyces rediscovered 521
Pollack, Flora G. See Cummins and Pollack 533
——— and C. Wayne Ellett. Mycocentrospora verrucosa, the cause of foliar shot-hole of Euonymus 170
Pollack, Flora G. and F. A. Uecker. Monosporascus cannonballus an unusual ascomycete in cantaloupe roots 346
Polyacetylene production in Clitocybe truncicola: effect of mating-type combination 327
Polyacrylamide gel electrophoresis and numerical taxonomy of Taphrina caerulescens and Taphrina deformans 743
Polyporaceae of Wisconsin; review 212
Powdery mildew of soybeans 894
Powell, Martha J. Fine structure of plasmodesmata in a chytrid 606
Preparation of temporary or permanent mounts of microfungi with undisturbed conidia 169

Presidential address
Luttrell, E. S. 1
Principal wall carbohydrates in Phlyctochytrium arcticum and Rhizophydium patellarium (Chytridiales) 107
Pritzel, G. A. Thesaurus literature botanicae; review 557
Proceedings of the first Soil Microcommunities Conference; review 737
Prodromou, Mary C., and Eugene S. Chapman. Effects of nitrogen sources at various temperatures on Papulospora thermophila 876
Production of aflatoxin by cultures derived from conidia stored in the laboratory 61
Production of oospores by Phytophthora parasitica in liquid medium 1030
Protein analysis
Taphrina 754
Protoachyla polysporus rediscovered 362
Pycnia
Puccinia 319
Publications
Kern, Frank D. 741
Pulmonary allescheriasis 661

Qualitative study of cellulose distribution in Ceratocystis and Europhium 139

Raciborski, M. Parasitische Algen und Pilze Javas; review 561
Ramaria of Western Washington; review 388
Range of the lichen Parmelia eurysaca 1047
Rao, Balakrishna. See Couch et al. 374
Reassignment of Labyrinthula minuta to the genus Labyrinthuloides 697
Redhead, Scott A. A new species of Campanella from North America 183
Regulation of catabolism in Nocardia erythropolis 48
Respiration
Saprolegnia 73
Response to Dr. K. A. Harrison 868
Revised taxonomic account of Gymnosporangium; review 206
Revision of the fungi classified as Gloeosporium; review 211
Reynolds, D. R. See Pohlad and Reynolds 521
Rhizopus and Chlamydomucor strains surveyed for milk-clotting, amylolytic, and antibiotic activities 593
Rhodophylloid fungi of the Pacific Coast (United States) IV: infrageneric concepts in Entoloma, Nolanea, and Leptonia 987
Rhytismataceae 690
Rijkenberg, H. F. J. and Susarah J. Truter. The ultrastructure of sporogenesis in the pycnial stage of Puccinia sorghi 319
Ritchie, Don and Susan F. Slovin. Protoachlya polysporus rediscovered 362
Roane, Martha K. and Robert A. Paterson. Some aspects of morphology and development in the Chytridiales 147
Roane, Martha Kotila, R. Jay Stipes, Patrick M. Phipps, and Orson K. Miller, Jr. Endothia gyrosa, causal pathogen of pin oak blight 1042
Rockett, Timothy R., and C. L. Kramer. The biology of sporulation of selected Tremellales 926
——— and ———. Periodicity and total spore production by lignicolous Basidiomycetes 817
——— and ———. A technique to induce sporocarp production and sporulation in lignicolous Basidiomycetes 524
———, ——— and Tennyson I. Collins. A new collector to measure total spore production 526
Rogers, Donald P. See Paxton and Rogers 894
Rogers, P. J., and F. H. Gleason. Metabolism of Cokeromyces poitrasii grown in glucose-limited continuous culture at controlled oxygen concentrations 919
Rogerson, Clark T. [Review of] The fungi—an advanced treatise. Vol. IVA, a taxonomic review with keys: Ascomycetes and Fungi Imperfecti 380
Role of lichens and associated fungi in the chemical weathering of rock 648
Romney, S. V. See Couch et al. 374
Rosswall, T. (ed.). Modern methods in the study of microbial ecology; review 204
Rudolph, Emanuel D. See Williams and Rudolph 648
Ruppel, E. G. Factors affecting conidial dimensions of a Drechslera species 803
Rust fungi of Bromeliaceae 533
Rust fungi with Caeoma-like sori on conifers 242

Sacred narcotic plants of the New World Indians; review 905
Sagenoma, a new genus of Eurotiaceae 676
Scanning electron microscope studies on ascospores of homothallic species of Neurospora 130

Scanning electron microscopy of ascosporic Aspergilli; review 723
Schein, R. D. See Fergus et al. 739
Schenck, N. C., and V. N. Schroder. Temperature response of Endogone mycorrhiza on soybean roots 600
Schipper, M. A. A. A study on variability in Mucor hiemalis and related species; review 729
Schleiffer, Hedwig (ed.). Sacred narcotic plants of the New World Indians; review 905
Schroder, V. N. See Schenck and Schroder 600
Schroeder, H. R., C. L. Fergus, and M. F. Mallette. Culture of Physarum gyrosum 349
Schroeder, H. W. See Boller and Schroeder 61
Schroeter, J. Die Pilze Schlesiens; review 561
Sclerotia of Cristulariella pyramidalis in nature 712
Sclerotial formation
Typhula 298
Whetzelinia 256
Sclerotiniaceae V. on some tropical Lambertella species 341
Sclerotiniaceae VI. Pseudociboria 706
Sclerotiniaceae VII. On Phialea microspora and Helotium atrosubiculatum 1039
Second heterothallic Aspergillus 628
Second species of Trichia with clustered spores 882
Sequential biosynthesis of ribonucleic acids during germination of teliospores of Ustilago maydis 413
Setliff, E. C. See Burdsall and Setliff 101
Setosphaeria prolata, the ascigerous state of Exserohilum prolatum 281
Seymour, R. L. See Padgett and Seymour 615
Shaffer, Robert L. [Review of] Mycology guidebook 1059
Shaw, Charles R. See Stout and Shaw 969
Shearer, C. A. Fungi of the Chesapeake Bay and its tributaries IV. Three new species from the Patuxent River 16
Shechter, Yaakov (ed.). Symposium on the use of electrophoresis in the taxonomy of algae and fungi; review 905
Sherwood, Martha. [Review of] The Lichens 898
———. Myriophacidium, a new genus of Rhytismataceae from western Oregon 690
——— and George Carroll. Fungal succession on needles and young twigs of old-growth Douglas fir 499
Shigo, Alex L. Effects of manganese, calcium, zinc, and iron on growth and pigmentation of Trichocladium canadense, Phialophora melinii, Hypoxylon rubiginosum, Daldinia concentrica, and Cytospora decipiens 339
Sinclair, J. B. [Review of] Bacterial and fungal diseases of plants in the tropics 734
Singer, R. The genera Marasmiellus, Crepidotus and Simocybe in the neotropics; review 382
Singh, R. N. See Tewari and Singh 808
Slovin, Susan F. See Ritchie and Slovin 362
Smiley, M. J. See Kurtzman et al. 580
Smith, Alexander H. Mushrooms in their natural habitats; review 212
———. See Smith and Smith 730
Smith, Helen V., and Alexander H. Smith. How to know the nongilled fleshy fungi; review 730
Snider, R. D., and C. L. Kramer. An electrophoretic protein analysis and numerical taxonomic study of the genus Taphrina 754
——— and ———. Polyacrylamide gel electrophoresis and numerical taxonomy of Taphrina caerulescens and Taphrina deformans 743
Soil fungi
Harposporium 178
Some Asian fermented foods and beverages, and associated fungi 942
Some aspects of morphology and development in the Chytridiales 147
Some notes on Pesudotomentella 165
Some observations on the ultrastructure of Epicoccum nigrum 1022
Sori, Caeoma 242
Soybean mycorrhiza
Endogone 600
Sparrow, Frederick K. Observations on chytridiaceous parasites of phanerogams. XXI. The endobiotic stage of Physoderma maydis 693
———. See Ainsworth et al. 380
———. See Ainsworth et al. 718
Spermatophytes
Beta 948
Borassus 948
Capsicum 945
Carum 945
Cedrela 965
Cocos 948
Daucus 948
Elettaria 945
Ferula 945

Glycine 894
Liquidambar 859
Oryza 944
Phoenix 948
Pinus 119, 600, 859, 964
Pseudotsuga 499
Robinia 122
Sequoia 1005
Spartina 670
Syzygium 945
Torreya 964
Trigonella 945
Vigna 944
Zingiber 945
Sporobolomycetaceae in Kansas 333
Sporogenesis
Puccinia 319
Squamatic acid
Cladonia 648
Steigbigel, Roy T. See Ajello et al. 490
Stevens, Russell B. (ed.). Mycology guidebook; review 1059
Stipes, R. Jay. See Roane et al. 1042
Stoianovitch, Carmen. See Olive and Stoianovitch 685
Stolk, A. C., and G. F. Orr. Sagenoma, a new genus of Eurotiaceae 676
Stout, Daniel L., and Charles R. Shaw. Genetic distance among certain species of Mucor 969
Structure and development of Lasiobolus monascus, a new species of Pezizlaes, Ascomycetes 907
Studies on Cercospora and allied genera. IV. Cercosporella Sacc., Pseudocercosporella gen. nov. and Pseudocercosporella gen. nov.; review 559
Studies of Mexican species of Ravenelia 546
Studies in Phyllosticta I; review 732
Studies of Phytophthora citricola, isolated from Persea americana 830
Study on variability in Mucor hiemalis and related species; review 729
Stuntz, Daniel E. See Marr & Stuntz 388
Stylospores 114
Subramanian, C. V. Hyphomycetes, an account of Indian species, except Cercosporae; review 385
Suggs, Edna G. See Leonard and Suggs 281
Sussman, Alfred S. See Ainsworth et al. 380
———. See Ainsworth et al. 718
Sutton, B. C. Hyphomycetes from Manitoba and Saskatchewan, Canada; review 390
———. [Review of] The Phoma and Ascochyta species described by Wollenweber and Hochapfel in their study on fruit-rotting 721
———. [Review of] Studies in Phyllosticta I 732
Sydow, P. and H. Monographia Uredinearum; review 561
Sylloge fungorum omnium hucusque cognitorum, Vol. 26; review 557
Symbolae ad Mycologiam Fennicam; review 897
Symposium on the use of electrophoresis in the taxonomy of algae and fungi; review 905
Systemic fungicides; review 204
Szaniszlo, Paul J. See Oujezdsky and Szaniszlo 537

Taber, Willard A. See Ueno et al. 360
Taxonomy of Pythium sylvaticum and related fungi 1049
Taxonomic value of reproductive cell size in the genus Pythium 681
Technique to induce sporocarp production and sporolation in lignicolous Basidiomycetes 524
Temperature effect
Papulospora 876
Typhula 304, 310
Temperature response on Endogone mycorrhiza on soybean roots 600
Terms
autotrophs 3
biotrophs 3
chemoautotrophs 3
chylotrophs 3
commensals 3
hemibiotrophs 5
heterotrophs 3
holobiotrophs 3
holozoites 3
lysotrophs 3
metabiotrophs 3
osmotrophs 3
parabiotrophs 3
parasites 3
perthotrophs 5
phagotrophs 3
photoautotrophs 3
saprophytes 3
saptrotrophs 3
stylospores 114
symbionts 3
symbiotrophs 3
zootrophs 3
Terry, Carol. See Chang et al. 67
Tewari, V. P., and R. N. Singh. Two new species of inoperculate Discomycetes 808
Textbook of theoretical botany, Vol. 4; review 561
Thamnidium 969–977
Thelebolaceae 588
Thermophilic fungi 542
Thesaurus literature botanicae: review 557
3-d-hydroxypalmitic acid 580

Three new species of Phanerochaete (Aphyllophorales, Corticiaceae) 780
Three new taxa of Uredinales 892
Thurston, E. Laurence. See Gustafson and Thurston 397
Tompkins, C. M. See Hacskaylo and Tompkins 737
Travaux mycologiques dédiés à R. Kühner; review 906
Tremellales 926
Treubiomyces rediscovered 521
Trichomycetes 173
Tripathi, R. K., and David Gottlieb. Sequential biosynthesis of ribonucleic acids during germination of teliospores of Ustilago maydis 413
Tropical polypores; review 556
Trotter, Alex. Sylloge fungorum omnium hucusque cognitorum, Vol. 26; review 557
Truter, Susarah J. See Rijkenberg and Truter 319
Tsao, Peter H. See Honour and Tsao 1030
Turian, G. Différenciation forgique; review 738
Tuveson, R. W. See Chang et al. 67
Two new families of Mucorales 87
Two new species of inoperculate Discomycetes 808
Two unusual chytridiaceous fungi 859
Typhula erythropus: field history, germination of basidiospores, mycelial growth, and sclerotial formation 298

Uecker, F. A. See Pollack and Uecker 346
Ueno, Keiyu, C. S. Giam and Willard A. Taber. Absence of sporidesmin in a Texas isolate of Pithomyces chartarum 360
Ultrastructural examination of the structure and germination of asexual propagules of four Mucoralian fungi 477
Ultrastructural observations of meiosis within antheridia of Achlya ambisexualis 32
Ultrastructure
Didymium 397
Entophlyctis 606
Epicoccum 1022
Lagenidium 639, 846
Termitaria 446
Ultrastructure of sporogenesis in the pycnial stage of Puccinia sorghi 319
Ultrastructure of Thraustochytrium sp. zoospores. IV. External morphology with notes on the zoospores of Schizochytrium sp. 272
Untersuchungen über Discomyceten aus der Gruppe Tapesia—Trichobelonium; review 203
Upadhyay, H. P. and W. B. Kendrick. A new Graphium-like genus (conidial state of Ceratocystis) 181
Use of fungi as food and in food processing, Part II; review 559
Use of syringaldazine for detection of laccase in sporophores of wood rotting fungi 469

van der Aa, H. A. Studies in Phyllosticta I; review 732
van Emden, H. F. (ed.). Insect/plant relationships; review 390
Variability of zoospore discharge in species of the genus Dictyuchus 615
Vesonder, R. F. See Kurtzman et al. 580
Vega, Rogelio R. and Duane Le Tourneau. The effect of zinc on growth and sclerotial formation in Whetzelinia sclerotiorum 256
Villaneuva, J. R. (3d.). Yeast, mould and plant protoplasts; review 906
Vitamin requirement
Typhula 306
Vogelenzang, L. (ed.). Petter Adolf Karsten, collected mycological papers; review 897
von Arx, J. A. A revision of the fungi classified as Gloeosporium; review 211

Wang, C. J. K. See Ajello et al. 490
Watson, John Leslie, and Charles L. Kramer. Fatty acid ratios of lipid solvent fractions in Taphrina 773
Weber, G. F. Bacterial and fungal diseases of plants in the tropics; review 734
Wheat germ effect
Typhula 314
Williams, Michael E., and Emanuel D. Rudolph. The role of lichens and associated fungi in the chemical weathering of rock 648
World directory of plant pathologists; review 906
World literature on Mycorrhizae; review 737

Yeast, mould and plant protoplasts; review 906

Zentmyer, G. A., Laura Jefferson, C. J. Hickman, and Yung Chang-Ho. Studies of Phytophthora citricola, isolated from Persea americana 830
Zinc effect
Whetzelinia 256
Zoospore discharge 615
Zoospore morphology 272
Zygospores in two Mortierella species with "stylospores" 114
Zoosporogenesis 846

FUNGOUS TAXA INDEX

The Fungous Taxa Index includes genera, infrageneric taxa, species, the infraspecific taxa. New taxa and the pages where they are published are in **bold-face type**. An attempt has been made to correct mistakes in the spelling of scientific names where mistakes occur in the text. Synonyms are indicated by italicized page numbers. Illustrations are indicated by f preceding page numbers on which legends occur.

Achlya 362, 616, 624; ambisexualis 32–47, f 33, f 34, f 35, f 37, f 39, f 41, f 42, f 43, f 45; bisexualis 37, 391–369; dubia 626; klebsiana 33
Acrasis 685; granulata 689; rosea 688, 689
Acremonium 676, 705; ser Terricola 680; **sagenomatis 677**
Acrostalagmus 378
Aecidium 245; balansae 249; helianthellae 552
Agaricus "tribe" Entoloma 988; "tribe" Leptonia 988; "tribe" Nolanea 988; aethiops *717*; coelestinus 1010; euchrous 1017; incanus 1013; jubatus 1016; pascuus 1001; sericellus 1010; watsonii *1018*
Alboleptonia 991, 1010–1015; sericella f 995
Albugo 334, 357
Allescheria boydii 661–668, f 663, f 664
Allochytridium expandens 148
Allomyces 76, 108; arbuscula 609; neomoniliformis 508
Alternaria 654; tenuis 1053
Althornia crouchii 273, 277, 279
Amanita caesarea 189; muscaria 188–191
Amphicypellus 148, 160, 161
Anixiella 349; monospora 349
Antennatula 502, 503
Anthracobia melaloma 429
Aphanomyces 354; astaci 354, f 355, f 356, 358; euteiches 357
Apiosordaria 463, 467
Apodachlya 354, f 357; brachynema 32
Arcyria calyculata *887*; decipiens *887*, 888; leocarpoides *887*; stipitata *887*
Armillaria mellea 187
Armillariella mellea 5, 9
Ascodesmis 433
Ascophanus 422; carneus 424; ochraceus 422, 429; sexdecimsporus 422
Ascozonus 917
Aspergillus 70, 126, 487, 628–638, 750, 768; aculeatus 366; alliaceus 366; auratus 629; aureolus 629; auricomus 366; avenaceus 366; awamori 366; candidus 366; carbonarius 366; carneus 1027; clavato-flavus 366; elegans 366; ellipticus 366; **fennelliae 629,** f 631, 632, 634, 637; ficum 366; fischeri 628; var glaber 629, 634; var spinosus 629; var thermomutatus 629; flavo-furcatis 366; flavus 61–66, 365–369, 436–445, 672; var columnaris 366; foetidus var acidus 366; var pallidus 366; fumigatus 629, 634, 637, 1026; heteromorphus 366; heterothallicus 628, 637; melleus 366; nidulans 176, 392; niger 67–72, 366, 367, 673; ochraceus 366; oryzae 61, 65, 366, 947; var effusus 366; ostianus 366; parasiticus 61–66, 366; petrakii 366; phoenicis 366; pulverulentus 366; sclerotiorum 366; sojae 366; subolivaceus 366; sulphureus 366; tamarii 366; terricola 366, 672; var americana 366; thomii 366; tubingenesis 366; wentii 366; zonatus 366
Asterostroma andinum 472
Atichia 501–503
Atkinsiella dubia 866
Atractobolus longipilus *234*
Aulacostroma 564–579; nigrificans 564; palawanense 564; **parvispora 564,** f 570, f 572, f 574, f 577
Aureobasidium 170, 504, 505; pullulans 502, 503
Auricularia 927; auricula 525, 929–940
Auriscalpium 868; umbella 868

Bacillus subtilis 584, 594, 597
Bactrodesmium caulincola var pellucidum 18; obliguum 502
Badhamia utricularis 398
Basidiobolus ranarum 507–517, f 510
Beauveria bassiana 378; tenella 378
Belonidium 214; subg Phaeobelonidium 214, 215; corticale 214–216, 233, 239
Bipolaris 281–297, 672; halodes 287–*290*; maydis 286; micropa 289; monoceras 287–*291*; pedicellata 282, 286–289, *291*; rostrata 281, 282, 285, 287, 289, *290*; turcicum 282, 285–288, *291*;
Bjerkandera adjusta 472
Blastocladiella 76, 108; emersonii 609, 612

Boletus edulis 199; hemichrysus 199, 200; lignicola 199, 200; rubinellus 198, 199
Bordetella bronchiseptica 584
Botryodiplodia theobromae 420
Botrytis cinerea 487, 1023
Brevilegnia 616, 625, 626
Bulgaria inquinans 926, 940
Bullera 334; alba 334, 335
Byssoascus striatisporus 679
Byssocorticium 100
Byssomerulius corium 473

Caccobius 917
Cacumisporium capitulatum 126
Caeoma 242–255; deformans 242, 247, f 248, 249, f 250, 251; dubium 243; espinosae 243, 247, 252–254; sanctaecrucis 242, 249; torreyae 242, f 250, 251–254
Caliciopsis pseudotsugae 502
Calocera 933; cornea 926, 933, 935, 938
Calocybe 1055–1058; chrysenteron 1056
Calodon zonatus 872
Calomyxa 884; metallica 884, 886; **synspora** 882, f 885, **886**
Calonectria crotalariae 1053–1055
Caloplaca holocarpa 649, 653, 658
Campanella 183–187; dendrophora 183, 186; floridana 187; **subdendrophora** f 184, f 185, **185**, 187
Camposporium 18; antennatum 18; aquaticum 18; cambrense 18; hyderabadense 18; indicum 18; **marylandicum 16**, f 17; microsporum 18; pellucidum 18
Candida 945, 946; albicans 584; guilliermondii var membranaefaciens 948; tropicalis 948
Catenomyces 89
Cephalosporium 170, 367, 502, 654, 655, 658; acremonium 672; roseo-griseum 672, 673
Ceratocystis 139–146, 181–183, 755; abiocarpa 143; adiposa 143; alba 143; ambrosia 143; araucariae 143; bicolor 143; brunneociliata 143; californica 143; cana 143; capillifera 143; clavata 143; coerulescens 143; crassivaginata 143; dryoceotidis 143; europhioides 143; fagacearum 139, 143, 176, 177; fimbriata 139; galeiformis 143; gossypina 143; huntii 143; ips 143; leptographioides 143; major 143; megalobrunnea 143; minor 143; minuta 143; minutabicolor 143; multiannulata 143; narcissi 143; nigrocarpa 143; obscura 143; olivacea 139, 143; paradoxa 143; penicillata 143; perfecta 143; perparvispora 143; piceae 143; piliifera 143; pluriannulata 143; polonica 143; populina 143; radicicola 143; sagmatospora 183; serpens 143; seticollis 143; tenella 143; tetropii 143; tremulo-aurea 143; ulmi 139, 143
Cercospora 755; apii 496, 497
Chaetocladium 487
Chaetomium thermophile 545
Chaetophoma 672
Chaetosphaeria dingleyae 127
Cheilymenia 916
Chlamydomucor oryzae 593–599
Chloridium 654, 655; chlamydosporis 126
Choanephora 487
Chrysomyxa 249, 251
Chrysosporium 463–468
Chytridium 108; aureus 153; lagenaria 151, 162; ottariensis 147–164
Chytriomyces annulatus 160; aureus 160; hyalinus 147–164, f 154, f 155; parasiticus 160
Ciboria 710; carunculoides 809
Ciboriopsis 1040, 1041; microspora *1040*
Circinotrichum 122, 126, 127
Cladonia cristatella 649, 653, 658; squamosa 649–660
Cladorrhinum 467
Cladosporium 170, 505, 537, 540; bantianum 496, 497; cladosporioides 502; herbarum 502, 672; oxysporum 502
Claudopus 990, 991, 1015
Claviceps purpurea 978–986, f 981, f 982
Clavicorona 530
Clitocybe illudens 951–968, f 960; lituus 965; olearia 961, 964, 965; subilludens 964, 965; truncicola 327–332
Clostridium perfringens 365
Coccomyces 690
Cochliobolus 287, 288, 289; spicifer 803, 804, 806
Codinaea aristata 127
Coelomomyces punctatus 374
Cokeromyces 94; poitrasii 919–925
Coleosporium 251; euphrasieae 251
Coniophora 817; puteana 471
Coprinus 525, 927, 1058; congregatus 1056; micaceus 1056
Coprobia 916; granulata 916
Coprobolus 917
Copromyxa 685
Coprotus 422–435, 916, 917; lacteus 422–435, f 425, f 427, f 428, f 430
Coriolus hirsutus 826; pubescens 821; versicolor 821
Cornuvia leocarpoides *887*
Corticium rolfsii 9
Crepidotus 525, 530
Cristulariella pyramidalis 712–715, f 714
Cryptoascus 348
Cryptococcus 768
Culicinomyces 375, 377; **clavosporus 375**, f 376, 377, 378

Cunninghamella elegans 487; vesiculosa 477–489, f 480, f 484
Cyanodiscus 576
Cystostereum pini-canadensis 471
Cytospora 755; decipiens 339

Dacrymyces 933; deliquescens 926; palmatus 525, 935, 936
Dacryobolus karstenii 471
Dactylaria gallopava 496, 497
Daedalea unicolor 472
Daldinia concentrica 77, 339–341
Dasyscypha sect Glandulosae 213; atropila *234*, 236; elegantula 237; longipila *234*
Dasyscyphus subg Trichopezizella 213, *214*; sect Glandulosae *214*; badiellus *239*; barbatus *231*; horridulus *229*; hystriculus *223*; nidulus 215, *217*, 229; relicinus 231; rubroguttatus *217*, 220; setigerus *221*; virgineus 216
Dematium chodatii 947
Dendroecia lysilomae *548*
Dendrostilbella 183, 666
Dentinum 871, 875
Dermocystidium marinum 697
Diachea spendens 891
Dianema 370
Diaporthe 196; elaeagni 196; var americana 196; pitya 502
Dictyotrichiella mansonii 537
Dictyuchus 357, 362, 363, 615–625; achlyoides 615, 616; anomalus 619, 621, 625; carpophorus 619, f 621, 626; missouriensis 615, 616, 619, f 620, 621; monosporus 615, 619, f 620, 621, f 623, 625; polysporus 363; pseudoachlyoides 616–621, f 623, 625; pseudodictyon 615–617
Didymium nigripes 408; squamulosum 397–412, f 398, f 400, f 402, f 404, f 406, f 408
Dimargaris bacillispora 270; verticillata 270
Diplochytridium 160, 161
Diplophlyctis 162
Dispira cornuta 270
Dothiora 576
Drechslera 287, 288, 803–807; austrailensis 806; frumentacei *291*; halodes *290*; hawaiiensis 496, 497; holmii *291*; monoceras *291*; pedicellata *291*; rostrata *290*; turcica *291*
Ductifera 933; alba 936; pululahuana 525, 926, 935

Eccilia 990, 1010; earlei *715*; fuliginosa *716*; pentagonospora f 997; watsonii *1018*
Echinopodospora 463–468; jamaicensis 463, 464, f 465, 467; sacchari 463, 464, 467; spinosa 463, f 464, 467; **terrestris** f 464, f 465, **465**, 467; verruculosa 463, 464, f 465, 467
Echinosporangium 87, 90; transversalis f 88, 90, 91
Ectomyces calotermi 447
Emericella 628; heterothallica 628, 637
Endogone 600–605; gigantea 601
Endomyces 611
Endomycopsis 580, 611; burtonii 947
Endothia gyrosa 1042–1047, f 1043, f 1044; parasitica 8, 1042, f 1043, 1044, f 1044, 1045; singularis f 1043, f 1044, 1045, 1046; tetraspora 1045, 1046; viridistroma f 1043, f 1044, 1045, 1046
Entoloma 715–717, 987–1021; subg Clypeati 988; subg Prunuloides 988; subg Resuti 988; sect Conoidea 989; sect Entoloma 955, 997; sect Genuini 988, 997, 999; sect Hydrophorii 988; sect Leptonidei 988, 989, 990, 1010, *1015*; sect Nolanidei 988, 995, 997, 999; sect Ovispori 989; sect Subsphaerospori 989; sect **Trachyosporum 995**, f 1000; sect **Typodochora** 995, **999**; sect Villosi 988; aethiops 717; **albosericeum 717**; album *717*; **atrodiscus 716**; brunneum *716*; **canum 717**; cinerascens *717*; **cinereofolium 717**; cinereum *717*; clypeatum 997; earlei *716*; ferruginans 999; fibrillosum *716*, 997; **fibrosum 716**; **fuliginomarginatum 716**; fuliginosum *716*, f 1001; graveolens *716*; griseum *716*, 999; infundibuliforme *716*; **infuscatum 716**; lividum *997*; luteifolium *715*; madidum, f 994, 997; nidorosum 999; nitidum 997; obscurum *716*; olivaceum *717*; papillatum 717; peckianum 1007; **perfibrillosum 717**; **perumbilicatum 716**; **platyphylloides** 999, 1019; plumbeum 997; phorphyrophaeum 997; prunuloides 995, 997; rhodopolium 999; sericatum 999; sinuatum 993, 995, 997; speculum 999; **squamatum 716**; **striatum 716**; subcostatum 716; **subfurfuraceum 716**; trachyosporum 995, 997, f 1000; var griseoviolaceum 997; var purpureo-violaceum 997; var trachyosporum 997; umbilicatum *715*; **umbiliciformis 715**; **underwoodii 715**; washingtonense 999
Entophlyctis 162, 606–614, f 608, f 610, 866; confervae-glomeratae 607
Epibelonium 576
Epichloë cinerea 84; nigricans 84; schumanniana 84; sporoboli 84; typhina 77–86, f 79; volkensii 84

Epicoccum nigrum 1022–1029, f 1024, f 1025, f 1026, f 1027; purpurascens 502
Epipolaeum pseudotsugae 502
Erinella hystrix *234*, 236
Eriopeziza subnidulans 240
Erysiphe 896; graminis f sp hordei 486, 1053; f sp tritici 1053; polygoni 894, 896
Escherichia coli 350, 398
Europhium 139–146; aureum 142–144; clavigerum 143, 144; robustum 143, 144; trinarciforme 143
Eutypa 939
Excipula phaeotricha *234*, 236
Exidia 927, 939; glandulosa 929–940; recisa 929–931, 936, 938
Exobasidium camelliae f 13
Exophiala 170, 518–520; brunnea 520; **pisciphilus 518**, f 519; salmonis 520
Exserohilum 289–294; **frumentaceum 291**; **halodes 290**, 291; **holmii 291**; **monoceras 291**; **pedicellatum 291**; **prolatum** 281–**290**–297, f 283; **rostratum** f 283, **290**, 291; **turcicum** 290, **291**, 292

Favolus alveolaris 472
Flammula phosphorea 965
Fomes annosus 525, 818–824, 828; connatus 472; fomentarius 472, 525, 817–826, 829, 927; igniarius 818; lignosum 9; ohiensis 472
Fomitopsis annosa 818
Fonsecaea 537
Fusarium 11, 755; graminearum 367; moniliforme 367; nivale 672, 673; oxysporum 176, 770; solani f sp cucurbitae 667; f sp phaseoli 1053
Fusicoccum elaeagni 191–197, *193*

Ganoderma 817, 818; applanatum 817, 818, 828, 927
Gelasinospora tetrasperma 176
Geotrichum candidum 611, 948, 1023
Gigaspora 601
Gilbertella 611; persicaria 486, 609
Gloeophyllum saepiarium 824
Gloiodon 868
Gomphidius glutinosus 964
Graphium 182, 183; penicillioides 182
Guignarida 5; bidwelli f 4
Guttulina aurea 685; protea 685; rosea 685–690; sessilis 685
Gymnoascus 677
Gymnopilus 525, 822–826
Gymnosporangium 247, 251–254, 740; bermudianum 251; clavariiforme 319, 325; clavipes 319, 325; juniperi-virginianae 927; speciosum 251, 252

Gyrothrix 122–129; circinata 128; citricola 128; dichotoma 127, 128; flagella 128; grisea 128; hughesii 128; indica 122, 127, 128; inops 120; macroseta 122, 128; microsperma 128; **pediculata 123**, f 123, f 124, 125, 127, 128; podosperma 122, 128; thevetiae 128; verticiclada 128; verticillata 128

Hansenula anomala var anomala 948; var ciferri 948; var schneggii 946–948; malanga 580, *581*, 584
Haploravenelia echinata *546*; expansa *547*; iqualica *547*
Haplosporangium decipiens 477–489, f 482, f 484; fasciculatum 119, *120*
Harpella melusinae 609
Harpochytrium 853
Harposporium **angustisporum 178–180**, f 179, sicyodes 180, 181; subuliforme 180, 181
Helicobasidium purpureum 9
Helicostylum 94
Helminthosporium 288; frumentacei 287, 289, *291*; halodes *290*; holmii 282, 285–*291*; inconspicuum *291*; longirostratum 287; maydis *286*, 366; 1053; monoceras *291*; pedicellatum *291*; rostratum *281*, *290*; sativum 803, 1053; turcicum *291*; victoriae 1053
Helotium 343, 706; atrosubiculatum 1039–1041, *1040*; barbatum *231*; belisense *342*, 343; chromo-flavum *343*, 344, *711*; contortum 711; flavorufum 808, 809; pellitum *239*; umbrinum *706*
Hemiarcyria calyculata *887*; plumosa *887*; stipitata *887*
Hemitrichia **calyculata 887**; clavata 887, 888; stipitata 887, *887*, 888
Hericium 868, 870; abietis 472; clathroides 869, 870; coralloides 869, 870; ramosum 869
Herpotrichia 293; rhenana 293
Hesseltinella 87, 92; vesiculosa f 93, 94, 477–489, f 481
Heterosporium terrestre 20
Histoplasma capsulatum 636
Hormiscium dermatiditis 537
Hormodendron 537
Humicola grisea var thermoidea 542–546; insolens 542–546
Hyalodendron 502
Hyalopsora aculeata 249
Hydnellum 964; sect Aurantiaca 874; alachuanum 874; aurantiacum 875; auratile 874; caeruleum 874; carolinianum 875; chrysinum 874; compectipes 874; complicatum 875; concrescens 871–874; diabolus 964;

earlianum 874; ferrugipes 874; humidum 874, 875; scrobiculatum 872, 873; var zonatum 874; septentrionale 875; velutinum 871; var zonatum 871; zonatum 872, 873
Hydnum 871, 875, 964; aurantiacum 964, concrescens 872, 873; cyathiforme 872; fasciatum 873; imbricatum 871; repandum 871; scrobiculatum 873; umbilicatum 875; zonatum 872, 873
Hyphodontia arguta 472; pallidula 471
Hymenoscyphus 343, 706
atrosubiculatus *1040*
Hypochnicium bombycinum 472
Hypochnus 96; cyaneus 96, *99*, 100
Hypoxylon 939; deustum 471; fragiforme 137; rubiginosum 339

Inonotus radiatus 472
Iola javensis 253
Itersonilia 337

Johansonia 576

Kavinia himantia 472
Keissleriella 282, 288, 289, 292, 293; holmii *295*; turcica 282, *295*

Labyrinthomyxa 697
Labyrinthula 275, 277, 279, 358, 646, 697–702; algeriensis 700; chattonii 698; minuta 697–*700*–702; roscoffensis 698
Labyrinthuloides 697–702; **minutum 700**; yorkensis 697–702
Lachnea barbata *231*; horridula *229*; nidulus *217*
Lachnella atropae *234*; barbata *231*–233; var pellita 239; var rhodophaea 240; horridula *229*; insularis *229*; kinetii 233; nidulus *217*; pellita *239*; relicina *234*; subnidulans 240
Lachnellula 215
Lachnum atropae *234*, 236; badiellum *239*; barbatum *231*, 233; f fulvescens 239; hystriculum *222*; leucophaeum 234; nidulus *217*, 219, 220; var subnidulans 219, 240; relicinum *234*; secalis *229*; setigerum *221*, 222
Lactarius 817
Laetiporus sulphureus 471
Lagenidium 354, 639; callinectes 639–647, f 641, f 642, f 644, f 645, 846–858, f 847, f 849, f 850, f 853, f 854, f 855, f 856, f 857; chthamalophilum 639, 853; giganteum 639, 646
Lambertella 341–346, 710, 808; aurantiaca 342; **belisense 342**; boliviana *342*, 343; bonahawensis *342*; **chromo-flava 343**, 344, 711; cryptomeriae *342*; fructicola 344, 345; **fuscotomentosa** 808, **809**, f 810, f 812; kumaonicus *344*, 345; **microspora 1040**, 1041; nipponica 811; pallidispora 344, *1040*, 1041; phaeoparaphysata *343*, 344, 711; tewarii 811; viburni 811
Lamproderma scintillans 888–892, f 891
Lampteromyces 965; japonicus 963
Lanzia 808; **velr''nosa 811**, f 813, f 814
Lasiobolus 433, 591, 907–918; ciliatus 909, 916; **monascus** 907–**909**–918 f 909, f 911, f 912, f 915
Lasiothelebolus 588; **oblongisporus** 588, **589**–592, f 590
Lazulinospora 96, **97**–100; **cyanea** 97, f 98, **99**, 101–106; **wakefieldii** 97, **98**, f 98, 101–106
Lecanora dispersa 649, 653, 658
Lecidea 505; albocaerulescens 649; erratica 502, 504
Lentaria 531, 532; byssiseda 503–532
Lentinellus 869
Lenzites betulina 473; saepiaria 525, 819, 820, 824
Leptographium 182
Leptonia 987–1021; subg Leptonia f 993, 1010, 1014; subg **Paludocybe** 992, f 997, 1010, **1011**; sect **Albidicaules** 1010, **1012**; sect **Cereicaules** 1011, **1014**; sect Chalybaeae 989; sect Hygrophani 989; sect Lampropodae 989; sect **Lepidocybe** 1011, **1017**; sect Leptonia f 996, f 1001, 1011, 1015; sect **Leptonidei** f 997, 1011, **1015**; sect **Paludocybe** 1011, **1013**; sect **Rhamphocystoteae** f 998, 1010, **1012**; sect **Roseicaules** 1011, **1013**; sect **Viridicaules** 1011, **1013**; albinella 1012; atrosquamosa 1014; coelestina 1017, 1018; corvina 1014; earlei *716*; euchroa 1009, 1015; 1016; fuliginosa 1014; gracilipes 1014; grisea *716*, 1014; inocybeoides 1014; jubata 1016; lampropus 1011, 1013; lazulina 1014; lividocyanula 1014; longistriata 1014; nigra 1014; nigricans 1014; nigroviolacea 1014; occidentalis 1017; placida 1017; pyrospila 1014; rosea 1013; roseicinnamonea 1013; subeuchroa 1017; umbilicata *715*, 1014; validipes 997, 1014; **watsonii** 1012, **1018**; whiteae 1014; yateeii 1017
Leptoniella earlei *716*; umbilicata *715*
Leptosphaeria 292, 293; subg Massariosphaeria 293
Linderina pennispora 609
Lipomyces 768
Lophium 502
Lophodermium 881; nitens 881
Lycoperdon perlatum 473
Leuconostoc mesenteroides 944
Lobaria 964

Lyophyllum infumatum 1055–1058, f 1057; loricatum 1056

Malbranchea pulchella var sulfurea 542–546
Margarinomyces heteromorpha 126
Marasmius limosus 965
Massarina f 500, 505; corticola 502, 504
Melampsora 242–255; abieti-caprearum 243, 245, f 246; albertensis 243, f 244; bigelowii 245; epitea 243, 245; f sp tsugae 243; larici-populina 245; lini 247, 270; medusae 243, 244; paradoxa 243, 245, f 246; pinitorqua 243, f 244, 245; populnea 243, 245
Melampsoridium 247
Melanospora 145
Menispora apicalis 127; glauco-nigra 127
Meria coniospora 378
Metacapnodium 502, 503
Metarrhizium anispoliae 377
Metasphaeria 292
Microsphaera 895; diffusa 895, f 895, 896
Microsporum 769
Mikronegeria 242, 254; fagi, 242, 253
Milesia 251
Milesina 247, 252, 253; australis 252; blechni 252
Monodelphus 965; subilludens 965
Monosporascus 348; **cannonballus** 346–**348**, f 347, 349
Monosporium apiospermum 661, 666
Morchella esculenta 77
Mortierella 114–121; sect Polycephala 114; sect Stylospora 114; humilis f 117, 118, 119; **indohii 115**, f 116, f 117, 118; lignicola 120; marburgensis f 117 120; polycephala 115, f 117, 118; ramannianaus var angulisporus 976; var. ramannianus 976; sepedonioides 120; stylospora 120; verticillata 118, *120*; zonata 120
Mucor 673, 919, 947; alternans 367; ambiguus 971, 974, 976; angulispora 971, 974, 976; azygosporus 971, 974, 976; bacilliformis 971, 974, 976; circinelloides 971, 972, 974; fragilis 946, 971, 974; genevensis 73, 919, 923, 924, 971, 974, 976; griseocyanus 971, 974, 976; f griseocyanus 976; f jansenii 976; hiemalis 971, 974, 975; indicus 971, 974; janssenii 971, 974, 976; javanicus 947; miehei 542–546, 971, 974, 976; mucedo 971, 974, 975; prainii 947; pusillus 971, 974; racemosus 971–976; ramannianus 971, 974, 976, 1054; recurvus 971, 974; rouxianus 946–948; rouxii 487, 924, 971, 974; subtilissimus 971
Mycena 927; citricolor 9; tenella 965
Mycoarctium 591
Mycobacterium phlei 584
Mycocentrospora 170; **verrucosa** 170, f 170, **172**, 173
Mycosphaerella 5, 9
Mycotypha 654
Myriophacidium **aphyophyllicum** 691, f 691, 692
Myrothecium verrucaria 73, 76
Myxarium nucleatum 939

Nectria haematococca 667
Neosartorya 628; **fennelliae** 629–638, f 630, f 633, f 635, f 636; fischeri 632, 634, 637; var glaber 632, f 636, 637; var spinosus 632; var thermomutatus 632
Nephrochytrium 89
Neta, 23; **lignicola 21**, f 21, f 22, 23; patuxentica 23
Neurospora 130–138; africana 131–137, f 132; crassa 70, 73, 176, 391, 420; dodgei 131–137, f 132, f 134, f 135; galapagosensis 131–137, f 132; lineolata 131–137, f 132, f 135; sitophila 507; terricola 131–137, f 132; tetrasperma 136, 1053, 1054, 1055
Nigrospora 502
Nocardia 48; corallina 48, 58; erythropolis 48–60; opaca 58
Nolanea 987–1023; sect Cosmedexonema *1003*; sect Endochromonema 1002, 1008; sect Holoconiotae 1002, 1003; sect Icterinae 989; sect Induti subsect Inopili 1010; sect Nolanea 999, f 1001, 1002, 1003, 1004; sect Pascuae 989; sect Staurospori f 1000, 1002; subsect **Cystomarginata** 1002, **1005**; subsect **Efibulatae** 1002, **1004**, **1008**; subsect Endochromonema 1002, 1009; subsect **Fibulatae** 1002, **1008**; subsect Nolanea 1002, 1004; babingtonii f 996, f 998; bicoloripes 1007, 1008; californica 1009; cetrata f 992, 1008, 1009; clandestina 1004; cucullata 1001; cuneata 1003, 1007, 1018; **cystomarginata 1005**; edulis 1004; fibrillosa 1007; fructufragrans 1009; fusciceps 1009; hirtipes f 992, 999, 1001–1005; holoconiota *1019*; juncea 1008; latifolia 1009; mammosa 1005, 1007; minuta 1009; nodospora f 998; occidentalis 1008; papillata *717*, 1007; sericea 1001, 1002, 1005; staurospora f 1000, 1001, 1003, 1007; var farinacea 1003; var incrustata 1003

Odontia pruni 473; spathulata 473
Oidium lactis 944
Olpidium 2, 853; brassicae 2
Omphalotus 965; olearius 952, 965

Paecilomyces marquandii 672
Papulaspora 654; thermophila 542–546, 876–880
Parmelia subg Amphigymnia 1048; eurysaca 1947–1049; perforata 1047, 1048, 1049; permaculata 1049; preperforata 1047, 1048; rigida 1047, 1048
Paxillus atrotomentosus 964; panuoides **964**
Penicillium 8, 128, 487, 654, 655, 685, 672; adametzi 654; brevi-compactum 367; citrinum 654; corylophilum 540; cyclopium 367; frequentans 654, 672, 673, 1054; funiculosum 367; herquei 654; multicolor 654; notatum 672; oxalicum 367; parvum 672; roquefortii 672; simplicissimum 650; sinulosum 654, 672; steckii 672; tardum 672, 673; viridicatum 367
Peniophora cacaina *781*, 783; laxa 473; nuda 705; sanguinea 471; tamaricicola 702–706
Peridermium 245, 247; cedri 242–247, f 248
Peronospora 11
Pesotum 182
Pestalotia 673
Peziza atropae *234*–237; var cacaliae *234*–237; badiella *239*; barbata *231*, 233; horridula 230; hystricula 222, 223, 239; longipila 216, *234*, 237; nidulus 215, *217*–220; pellita *239*; relicina *234*; secalis *229*; setigera *221*, 222
Pezizella chrysostigma 227
Phacidium 690; curtisii 578; nigrum 690
Phaeocryptopus gaeumanii 502
Phaeodon zonatus 872
Phakopsora aeschynomenis *892*; **diehlii 892**, f 893
Phanerochaete 780–790; affinis 789; **allantospora 780**, f 782, f 783, f 784, 785; **arizonica** f 782, f 783, **785**, f 785, 786, 787; **cacaina 781**; cremea 786; eichleriana 786; **salmoneolutea** f 782, **787**, 789; velutina 789; viticola 789
Phellinus igniarius 818
Phellodon 871; fibulatus 871
Phialea 808; microspora 1039–1041, *1040*
Phialocephala 182
Phialographium 183; **sagmatospora 183**
Phialophora 490–498; dermatitidis 496, 497, 537–542, f 539; gougerotii 496, 497; melinii 339–341; **parasitica** f 492, **493**, f 494, f 495, 497; richardsiae 496, 497; spinifera 496, 497
Phillipsia 30; domingensis 25–31, f 26, f 27; lutea 25–31, f 29
Phillipsiella 576
Phlebia livida 473; radiata 473; strigozonata 964
Phlyctochytrium 859, 861, f 862, 864, 866; arcticum 107–113, 611; furcatum 866; papillatum 161; powhantanensis 147–164
Phlyctidium 161, 859, f 860, 861, 866
Phoma 496, 497; glomerata 672; humicola 672
Phomopsis 191–197; **elaeagni** f 192, **193**, f 194, 196
Phyllactinia 431
Physarum gyrosum 349–354; polycephalum 349, 352, 391, 398
Physoderma 693–697; eleocharidis 696; maydis 693–697, f 694, f 695; zeaemaydis 693
Physopella aeschynomenis *892*
Phytophthora 11, 354, 357, 392, 750, 755, 830–845–f 836; cactorum 831, f 834, 835, 1031, 1035; capsici 33, 354, f 357, 609; cinnamomi 830, 831, f 840, 841, 842, 1031, 1035; citricola 830–845, f 834, f 837, f 838; citrophthora 830–845; dreschsleri 1031, 1035; erythroseptica 275; gonapoides 354; megasperma var sojae 1031, 1035; nicotianae var parasitica *1030*; palmivora 831, 1031, 1035; parasitica 609, 843, 853, 1030–1038; var nicotiana 275; primulae 843
Pichia ohmeri 948
Piptoporus betulinus 821
Pisolithus tinctorius 604
Pithomyces chartarum 360–362
Platygloea arrhytidiae 703, 705; caroliniana 705; fungicola 703; lagerstroemia 705; **mycophila 703**–706, f 704; peniophorae 703, 705; pustulata 705
Plectospira dubia 866
Pleurotus ostreatus 473, 525
Pocheina 685; rosea 685–689, f 687
Podospora anserina 137
Polyozellus multiplex 964
Polyphagus 161
Polyporus albellus 525, 822, 823, 825, 828; betulina 525, 819–821, 828; fasciatus 873; floriformis 471; hirsutus 525, 826–829; pargamenus 473; pubescens 473, 819–829; sericeomollis 471; squamosus 187; tulipiferae 473; versicolor 473, 525, 819–821, 828
Polystictus versicolor 964
Poria 818; albolutescens 471; ambiqua 818, 828, 927; carbonica 471; lenis 473; medulla-panis 471; mollusca 474; myceliosa 471; xantha 471
Pouzarella 991, f 996, f 998, 1001, 1007
Protoachlya 362, 363; paradoxa 363; polysporus 362–364, f 363

Protomyces 768
Protoscypha 576
Pseudociboria 706–712; umbrina 706, f 707, f 708, f 709
Pseudodiscus 576
Pseudoplectania nigrella 433
Pseudoscypha 576
Pseudotomentella 96, 97, 165–168; **atrocyanea 97,** 101–106, f 102, 168; atrofusca 168; cyanea *99*; flavovirens 167, 168; griseopergamacea 167, 168; **griseoveneta 165,** f 166; 167, 168, humicola 168; longisterigmata 168; mucidula 168; nigra 168; tenebrosa 168; tristis 168; vepallidospora 165, f 166, 167
Psilocybe 817
Puccinia 755; andropogonis 552; **annulatipes 892,** f 893; araliae f 550, *551*; bistortae 552; blyttiana 553; brandegei 549, f 550; cinnamomea 894; claytoniicola f 550, *551*; comandrae 552; cornuta 893; coronata 1053, 1055; delphinii f 550, *551*; dovrensis var dovrensis 553; var **leptoticha 554**; var **russa 554**; gibberulosa 553; graminis 270; f sp tritici 1053; helianthellae 552, 553; ligustici f 550, *551*; malvacearum 333; nesodes 552; notopterae 893; otopappicola 893; pentstemonis 552; pitcairniae ssp **chapalensis** 533, f 534, **535**; ssp pitcairniae 533, f 534, 535; plumasensis f 550, *551*; pungens 535; russa *554*; var liptoticha 553; *554*; var russa 553; seymeriae 552; sorghi 319–326, f 320, f 322, f 324; **spiranthicola 893,** f 893; **tillandsiae 533,** f 534
Pucciniastrum 247; epilobii 253
Pycnoderma 576
Pycnodermina 576
Pyrenochaeta 672; terrestris 11
Pyrenophora 288, 293; graminea 13, 14
Pyronema 434, 916; confluens 431, 434; domesticum 429
Pythiacystis 830; citrophthora 830, 831
Pythium 11, 76, 681–684, 755; 1049–1053; adhaerens 683; aphanidermatum 515, 682, 683, 803, 843; debaryanum 681, 684, 1050, 1051, 1052; var pelargonii 681, 1050, 1051, *1052*; var viticola 1050, 1051, *1052*; dissotocum 682, 683; intermedium 1050; irregulare 682, 683, 1051; middletonii 856; myriotylum 682, 683; splendens 681, 684; sylvaticum 681, 1049–1053; ultimum 681–684; vexans 681, 684

Radiomyces 87, 92; embreei 92, 94, 477–489, f 478, f 484; spectabilis 92, f 93
Radiomycetaceae 91
Ramaria 530; subg Lentoramaria 531
Ravenelia annulata 546, *548*; echinata 546; ectypa *546*; expansa 546, 547; igualica 546, *547*; lysilomae 546, 548; morongiae 546, *547*; texanus *547*; texensis 546, 547
Rechingeriella insignis 349
Rhinocladiella mansonii 537, 540
Rhizidiomyces 139
Rhizoctonia solani 9, 1053
Rhisophydium f 154, 866; karlingii 148; patellarium 107–113; sphaerocarpum 147–164; sphaerotheca 108
Rhizopus 8, 367, 585, 593–599, 611; arrhizus 487, 593, 596, 597; 946, 947; cambodja 947; chinensis 593, 596; chungkuoensis 596; hangchao 593, 596, 597; microsporus 596, 597; nigricans 262, 597; niveus 593–596; oligosporus 593, 596; oryzae 593, 596, 597; rhizopodiformis 596, 597; sexualis 487, 609; stolonifer 487, 593, 596, 597, 598
Rhizophydium spherotheca 609
Rhodophyllus 989–1023; subg Claudopus 1010; subg Eccilia 1010; subg Entoloma 990, 993, *997*, 1010, 1015; subg Hygrophilus 990; subg Leptonia 990, 1014, 1015, 1016, 1010; subg Nolanea 990, 1001, 1003; subg Paraleptonia 990, 1010; subg Paranolanea 1001, 1010; sect Callidermi 1001, 1010; sect Clypeati 997, 999; sect Excentrici 1010; sect Griseorubidi 1011; sect Leptoniarii 1015; sect Leptonidei 993, 1010, 1015; sect Luctuarii 993, 1001; sect Nolanea 1003; sect Paraleptonia 1011; sect Pascui 1002; sect Rhodopoli 997; sect Romagnesia 993, 997; sect Specularii 997; sect Sphaerosopori 1008; sect Versatiles 1001; sect Viscosi *997*; subsect Mammosi 1008; subsect Staurospori *1002*; anatinus 1015; aprilis 997; araneosus 1001; asprellus 1017; clypeatus 997; clypeus 997; cocles 1007; coelestinus 1017; cordae 993; dichrous f 993; indutus 1010; inutilis 1007; jubatus 1016; lampropus 1017; leptonipes 1010; papillatus *717*; peckianus var speciosus 1007; platyphylloides *1019*; rhodocylix 1010; sericellus 990, 1015; sericeus 1001; strictior 993; tortilis 1015; vernus 1001; vilis 1015
Rhodotorula 580, 768; mucilaginosa 672, 673
Rhytidhysterium rufulum 576
Rhytisma 690, 881
Roestelia brucensis 251

Rubigo 251
Russula emetica 474
Rutstroemia 343, 710, 808, 815; belisense *342*; longipes 809, 815; luteovirescens 809, 815; pruni-serotinae 809
Ryparobius 591

Saccharomyces bayanus 944; cerevisiae 391, 414, 924, 945, 949; chevalieri 948
Saccharomycodes ludwigii 949
Saccharomycopsis 580; capsularis 584–586; chiuyuehi 585; crataegensis 585, 586; fibuligera 584–586; lipolytica 585, 586; **malanga** 580, **581**, f 582, 583–587; vini 586
Sagenoma 676–680; **viride** 676–677–680, f 678, f 679
Saksenaea 87, 90; vasiformis 87, f 88, 89–91
Saksenaeaceae 87
Saprolegnia 73–76, 357, 358; delica 41; ferax 33, 41, 277; terrestris 32, 34, 41, 43, 392
Sarcodon 871
Sarcoscypha 30; coccinea 29, 30; var jurana 30; occidentalis 30
Schizochytrium 272–280, f 278; aggregatum 275, 700
Schizophyllum commune 331, 474, 475, 525, 532
Schizosaccharomyces pombe 949
Schizothyrium 501, 502, 576, 699
Scleroderma 474
Sclerotinia 256, 710; sclerotiorum 8, 256, 309
Sclerotium delphinii 262; rolfsii 9, f 10, 262, 313, 1053
Scolecobasidium 20; anellii 20; constrictum 20; humicola 20; indicum 20; macrosporum 20; **salmonicolor 18**, f 19, 20; terreum 20; variable 20; verruculosum 20
Scolecobonaria lithocarpi 502, 504
Scutellinia 916
Scytinostroma galactinum 474
Septoria 755
Setosphaeria 294; **holmii 295**; **pedicellata 295**; **prolata** 281–**294**–297, f 283, f 284; **turcica** 294, **295**
Smittium 377
Sordaria fimicola 137
Sphaerophragmium 791–802; acaciae 792–795, f 798; artabotrydis 791, 792, 799, 800, f 801; boanense 791, 792, f 801, 802; chevalieri 792, 797, f 798; clemensiae 791, 792, 795, 796, f 798, 799; dalbergiae 791, 792, 794, 795, 798, f 798; debile 791, 792, 800, f 801, 802; evernium 791, 792, 800, f 801, 802; fimbriatum 791, 792, 797, f 801; var **millettiae** 792, **799**, f 801; irregulare 791, 792, 796, f 798, 802; luzonicum 791–798, f 798; millettiae 791, *799*; monodorae 791, 792, 799, f 801; mucunae 792, 800, f 801, 802; parkiae 791, 792, 796, f 798; quineense 791, 792, 795, f 798; silveirae 791, 792, 797, f 798
Sporidiobolus johnsonii 335
Sporobolomyces 334; albo-rubescens 334; gracilis 334, 335; odorus 334, 335; pararoseus 334, 335; roseus 336, 337; salmonicolor 336
Sporosphaera 358
Sporothrix schenckii 497
Sporotrichum thermophile 542–546
Stachylina grandispora 173–178, f 175
Staphylococcus aureus 584
Stemonitis 891
Stephanotheca 576
Stereum fasciatum 873; frustulatum 474; frustulosum 964; gausapatum 474; ostrea 474; purpureum 9
Strigopodia batistae 502, 504
Suillus bovinus 964
Syncephalis 89

Talaromyces 677; thermophilus 542–546; wortmannii 677
Taphrina 12, 754–772, 773–779; americana 756, 764, 765; bacteriosperma 756, 764–769; betulae 765, 762–767, 774; betulina 756, 764; caerulescens 743–753, 757, 764–767; carnea 756, 764–767, 770; carveri 756, 764–767, 770, 774; castanopsidis 756, 764, 765, 769; communis 756, 764–769, 774; confusa 757, 764, 765; coryli 756, 763–765; cystopteridis 756, 762–767, 774; dearnessii 756, 764, 765; deformans f 13, 743–753, 757, 764–767, 774; epiphylla 756, 763–765; farlowii 757, 764–767; flavorubra 757, 764–767, 774; flectans 757, 764, 765; japonica 756, 763–765; johansonii 757, 764–767; letifera 756, 764–767, 770, 774; mirabilis 757, 765; polystichi 757, 762–767, 774; populina 757, 764–767, 774; robinsoniana 756, 764, 756; sacchari 765, 764, 765, 774; tormentillae 757, 762–767, 774; tosquinea 756, 764, 765; virginica 756, 764–767, 774; ulmi 757, 762–767; wiesneri 757, 764–767, 774
Teichosporina 502, 504
Terenodon 871; serenus 871
Termitaria 446–462; coronata 446; pacedensis 446; snyderi 446–462, f 448, f 450, f 451, f 452, f 454, f 455, f 456, f 457, f 458; thaxteri 446

Thanatephorus cucumeris 9
Thecotheus 917
Thelebolus 433, 588, 591, 917; microsporus 591; stercoreus 591
Thelephora 964
Thraustochytrium 272–280, f 274, f 276, 699; aggregatum 700; aureum 700; kinnei 700; motivum 272–280, 700; pachydermum 700; roseum 700; striatum 700; viscurgense 700
Thraustotheca 357, 625, 626
Tieghemiomyces parasiticus 265–271
Tilletiopsis 333, 334; minor 333–336; washingtonensis 334–336;
Tomentella 96; atrocyanea 96–100, *97*; botryoides 102, 104; cyanea *99*; ferruginea 102, 104; griseoviolacea 102, 104
Torulopsis candida 944; holmii 944
Trechispora vaga 474
Tremella 927; lutescens 929–932
Treubiomyces pulcherrimus 521–524, f 522
Trichia 882–884; botrytis var flavicoma *369*, 370; **conglobata 882**–884, f 883; decipiens 883; flavicoma 369, f 371; lutescens 884; macbridei 373, 374; **synsporum** f 371, **372**, f 372, 373, 374, 882–884; varia 373
Trichobolus 591, 907–917; zukalii 433, 907, 916
Trichocladium canadense 339–341
Trichoderma 649, 654; glaucum 672; koningii 672; lignorum 672, 673; viride 367
Trichometasphaeria 282, 288; dianthi *292*; gloeospora 292; holmii, 292, *295*; pedicellata *295*; turcica 292, *295*
Trichopeziza horridula *229*; hystricula *222*; insularis 231; nidulus *217*, 219; pteridis 227; relicina *234*, 236; secalis *229*; setigera *221*; subnidulans 220, *240*
Trichopezizella 213–241; subg Relitricha 216, 234; subg Trichopezizella 214, 216, 217; badiella 239; barbata 214–217, f 225, 231–234, 239, 240; brunnea *221*, 222, f 224; horridula 216, 221, f 225, 229, 233; macrospora 215, *237*; nidulus 222; var **hystricula 222**, f 224; var hystriculus 217, 220; var nidulus 217, 220, 222, f 224, 229; 240; var **onocleae** 217, 221, **226**, f 228; var **setigera** 217, **221**, f 224; **otanii** 216, 221, f 224, **227**, 229; relicina 216, 220, 229; var **macrospora** 216, 222, f 225, **237**; var relicina 216, 222, f 225, 234, 237, 240; setigera *221*, 222
Trichophyton 769; tonsurans 491
Trichosporon pullulans 944
Triphragmium 791; acaciae 791, *793*
Tripterospora 463; spinosa 463; verruculosa 463
Tryblidiella clavispora 576
Tylopilus felleus 197–202, f 198
Tyromyces albellus 474, 825; caesius 471
Typhula 298; erythropus 298–318, f 302, f 308; graminum 306, 316; gyrans 305; idahoensis 304, 306, 310, 313; incarnata 303–306, 310–316; ishikariensis 316; itoana 316; phacorrhiza 307; sclerotioides 305, 310, 313; trifolii 304, 306, 310, 313; viburni 307

Uredinopsis 253
Uredo 251, 793; aeschynomenis *892*; apacheca 242, 247, 251, 252; artabotrydis *799*; dalbergiae *794*; gaillardiae 552; nidularii 533, f 534, 536; sissoo *794*; tillandsiae *533*
Uromyces appendiculatus 323; junci 552; phaseoli 420
Ustilago maydis 413–421; nuda 13, 14
Ulocladium botrytis 502

Vararia investiens 474
Venturia 293
Verticicladiella 182
Verticillium 11, 750, 755; albo-atrum 751, 755, 770; candelabrum 672; dahliae 755, 770
Vibrio parahaemolyticus 584; tyrogenus 584, 585

Wettsteinina 293
Whetzelinia 256; sclerotiorum 256–264
Winteria 505; caerulea 502, 504

Xanthomonas campestris 584
Xerocomus 200; badius 199; chrysenteron 964; illudens 199; subtomentosus 199, 200
Xylaria polymorpha 187

Zygorhizidium 148, 160, 161

HOST INDEX

The Host Index includes generic names of hosts and those fungi which are definitely indicated in the text as occurring on a host.

Abies
Melampsora abieti-caprearum 243
Milesina blechni 252
Acacia
Calonectria crotalariae 1053
Ravenelia expansa 547
Sphaerophragmium acaciae 793; silveirae 797
Acer
Cristulariella pyramidalis 712
Endothia 1042
Lentaria byssiseda 531
Taphrina carveri 756, 774; dearnessii 756; letifera 756, 774; sacchari 756, 774
Typhula erythropus 299
Aconitum
Lachnella subnidulans 240
Trichopezizella nidulus 218; relicina var macrospora 238; var relicina 236
Andenostyles
Trichopezizella relicina var relicina 236
Lachnella subnidulans 240
Aedes (animal)
Culicinomyces clavosporus 377
Aeschynomene
Phakospora diehlii 892
Agropyron
Epichloë typhina 80
Agrostis
Epichloë typhina 79, 80
Albizzia
Sphaerophragmium acaciae 793; clemensiae 795; luzonicum 794
Albugo
Tilletiopsis washingtonensis 334
Alnus
Pseudociboria umbrina 710
Taphrina epiphylla 756; japonica 756; populina 757; robinsoniana 756; tosquinea 756
Typhula erythropus 301
Alopecurus
Epichloë typhina 80
Althea
Bullera alba 334
Puccinia malvacearum 333
Sporobolomyces albo-rubescens 334; odorus 334; pararoseus 334
Tilletiopsis washingtonensis 334
Ammophila
Bipolaris maydis 286
Anneslea
Sphaerophragmium debile 800
Anopheles (animal)
Coelomomyces punctatus 374
Culicinomyces clavosporus 375
Anthoxanthum
Epichloë typhina 80
Arachis
Calonectria crotalariae 1053
Archontophoenix
Helotium atrosubiculatum 1040
Arnica
Trichopezizella relicina var macrospora 238
Arrenatherum
Epichloë typhina 80
Artabotrys
Sphaerophragmium artabotrydis 799
Asprella
Epichloë typhina 80
Aster
Lachnella subnidulans 240
Trichopezizella nidulus 218
Austrocedrus
Caeoma espinosae 252

Baccharis
Peniophora tamaricicola 703
Berberis
Lambertella fructicola 344
Betula
Taphrina americana 756; bacteriosperma 756; betulae 756, 774; betulina 756; carnea 756
Blechnum
Milesina 252
Bouteloua
Bipolaris maydis 286
Cochliobolus spicifer 804
Brachypodium
Epichloë typhina 80
Bromus
Epichloë typhina 80
Trichopezizella horridula 231

Cacalia
Trichopezizella relicina var relicina 236
Calamagrostis
Epichloë typhina 80
Calliandra
Ravenelia echinata 547
Sphaerophragmium debile 800
Calotermes (animal)
Termitaria snyderi 446
Camellia
Exobasidium camelliae 13

Capsicum
Endogone 601
Carex
Trichopezizella nidulus var hystricula 222
Carica
Calonectria crotalariae 1053
Carya
Cristulariella pyramidalis 713
Phanerochaete salmoneolutea 788
Cassia
Sphaerophragmium acaciae 793
Castanea
Endothia parasitica f 1043
Castanopsis
Myriophacidium aphyophyllicum 691
Taphrina castanopsidis 756
Castilleja
Puccinia nesodes 552
Cedrus
Peridermium cedri 246
Cercidium
Phanerochaete arizonica 786
Cercis
Endothia viridistroma f 1043
Chamanerium
Trichopezizella relicina var relicina 235
Chrysanthemum
Sporobolomyces albo-rubescens 334; pararoseus 334
Tilletiopsis minor 334; washingtonensis 334
Cirsium
Trichopezizella relicina var relicina 236
Citrus
Phytophthora citricola 831
Cladophora
Rhizophydium karlingii 148
Claytonia
Puccinia claytoniicola 551
Comandra
Puccinia comandrae 552
Conioselinum
Puccinia ligustici 551
Convallaria
Trichopezizella nidulus 218
Cornitermes (animal)
Termitaria thaxteri 446
Corydalis
Puccinia brandegei 549
Corylus
Taphrina coryli 756
Crataegus
Sporobolomyces pararoseus 334
Cryptomeria
Lambertella aurantiaca 342
Cucumis
Monosporascus cannonballus 348
Culex (animal)
Culicinomyces clavosporus 377
Cyamopsis
Sclerotium rolfsii 10
Cystopteris
Taphrina cystopteridis 756, 774

Dactylis
Bipolaris maydis 286
Epichloë typhina 80
Dalbergia
Sphaerophragmium dalbergiae 794; fimbriatum 797; guineense 795
Delphinium
Puccinia delphinii 551
Trichopezizella relicina var relicina 236, 237
Deschampsia
Epichloë typhina 80
Desmanthus
Ravenelia texensis 548
Desmodium
Microsphaera diffusa 896
Dialium
Sphaerophragmium evernium 800

Eatonia
Epichloë typhina 80, 81
Elaeagnus
Diaporthe elaeagni 196
Elaeagnus
Diaporthe elaeagni var americana 196
Fusicoccum elaeagni 191
Epilobium
Trichopezizella nidulus 218
Erigeron
Puccinia dovrensis var dovrensis 553; russa 554; var leptoticha 553, 554; var russa 553
Euonymus
Bullera alba 334
Mycocentrospora verrucosa 170
Sporobolomyces pararoseus 334
Eupatorium
Tricophezizella relicina var relicina 237

Fatsia
Trichopezizella barbata 233
Festuca
Epichloë typhina 80
Filipendula
Trichopezizella nidulus 218
Fraxinus
Phanerochaete allantospora 781

Gerardia
Puccinia seymeriae 552
Glyceria
Epichloë typhina 80

Glycine
Endogone 601
Microsphaera diffusa 896
Glycyrrhiza
Microsphaera diffusa 896

Helianthella
Uredo gaillardiae 553
Helianthus
Puccinia helianthellae 552
Sporobolomyces pararoseus 334
Tilletiopsis washingtonensis 334
Heracleum
Trichopezizella relicina var macrospora 238; var relicina 236
Hibiscus
Cristulariella pyramidalis 713
Hierochloë
Epichloë typhina 81
Trichopezizella horridula 231
Holcus
Epichloë typhina 79, 81
Hordeum
Setosphaeria prolata 294
Hydrophyllum
Puccinia plumasensis 551
Hystrix
Epichloë typhina 81
Ictalurus (animal)
Exophiala pisciphilus 518

Ilex
Lambertella belisense 343
Phacidium curtisii 578
Impatiens
Bullera alba 334

Juglans
Cristulariella pyramidalis 713
Phanerochaete allantospora 781
Juniperus
Gymnosporangium bermudianum 251
Uredo apacheca 251

Koeleria
Epichloë typhina 81

Lamourouxia
Puccinia nesodes 552
Larix
Melampsora larici-populina 245; paradoxa 243
Lespedeza
Microsphaera diffusa 896
Ligusticium
Puccinia ligustici 551
Liquidambar
Endothia 1042
Lolium
Epichloë typhina 81
Lonicera
Trichopezizella barbata 231
Lysiloma
Ravenelia lysilomae 548

Madhuca
Lambertella aurantiaca 342
Magnolia
Cristulariella pyramidalis 713
Malus
Sporobolomyces albo-rubescens 334; pararoseus 334
Medicago
Cryptoascus 348
Milium
Epichloë typhina 81
Millettia
Sphaerophragmium fimbriatum var millettae 799
Mimosa
Phanerochaete arizonica 786
Molinia
Epichloë typhina 81
Monodora
Sphaerophragmium chevalieri 797; monodorae 799
Mortonia
Phanerochaete arizonica 785
Mucuna
Sphaerophragmium mucunae 801
Myrica
Trichopezizella barbata 232

Nasutitermes (animal)
Termitaria coronata 446; thaxteri 446
Neotermes (animal)
Termitaria snyderi 446
Netrium
Rhizophydium karlingii 148
Nidularium
Uredo nidularii 536
Notoptera
Puccinia annulatipes 893

Olax
Aulacostroma parvispora 565
Onoclea
Trichopezizella nidulus var onocleae 226
Oplopanax
Trichopezizella barbata 232
Ostrya
Taphrina virginica 756, 774
Oxalis
Puccinia sorghi 319

Panax
Puccinia araliae 551
Panicularia
Epichloë typhina 80

Panicum
Bipolaris maydis 286
Parkia
Sphaerophragmium parkiae 796
Peniophora
Acremonium 705
Platygloea mycophila 703
Penstemon
Puccinia pentstemonis 552
Persea
Phytophthora cactorum 831; cinnamomi 830; citrophthora 830
Phalaris
Campanella subdendrophora 186
Phaseolus
Erysiphe polygoni 894
Microsphaera diffusa 896
Phleum
Bipolaris maydis 286
Epichloë typhina 81
Pinus
Melampsora pinitorqua 243
Pisolithus tinctorius 604
Pitcairnia
Puccinia pitcairniae ssp chapalensis 536; ssp pitcairniae 535
Plantago
Sporobolomyces pararoseus 334
Platanus
Phanerochaete allantospora 780; arizonica 786
Poa
Epichloë typhina 81
Polygonatum
Trichopezizella nidulus 218
Polygonum
Peziza 221
Puccinia bistortae 552
Trichopezizella ctanii 229; relicina var relicina 236
Polystichum
Taphrina polystichi 757, 774
Populus
Melampsora populnea 243
Phanerochaete arizonica 786
Taphrina johansonii 757; populina 757, 774
Porotermes (animal)
Termitaria snyderi 446
Potentilla
Taphrina tormentillae 757, 774
Prosopis
Phanerochaete allantospora 781; arizonica 786
Prunus
Phanerochaete arizonica 786
Taphrina communis 756, 774; confusa 757; deformans 13, 744, 757, 774; farlowii 757; flavorubra 757, 774; flectans 757; mirabilis 757; wiesneri 757, 774
Pseudotsuga
Antennatula 502
Atichia 502
Aureobasidium pullulans 502
Bactrodesmium obliquum 502
Caliciopsis pseudotsugae 502
Cephalosporium 502
Cladosporium cladosporioides 502; herbarum 502; oxysporum 502
Diaporthe pitya 502
Epicoccum purpurascens 502
Epipolaeum pseudotsugae 502
Hyalodendron 502
Lecidea erratica 502
Lophium 502
Massarina corticola 502
Melampsora albertensis 243; medusae 243
Metacapnodium 502
Nigrospora 502
Phaeocryptopus gaeumanii 502
Pseudotomentella griseoveneta 165
Schizothyrium 502
Scolecobonaria lithocarpi 502
Strigopodia batistae 502
Teichosporina 502
Utocladium botrytis 502
Winteria caerulea 502
Psidium
Trichopezizella barbata 232
Psorophora (animal)
Culicinomyces clavosporus 377
Pteris
Milesina 247
Typhula erythropus 316
Pyrus
Lambertella fructicola 344

Quercus
Endothia 1042; gyrosa f 1043; singularis f 1043
Lambertella fructicola 344
Lanzia velutinosa 815
Lazulinospora wakefieldii 98
Myriophacidium aphyophyllicum 691
Phanerochaete salmoneolutea 789
Taphrina caerulescens 744, 757, 774

Ranunculus
Puccinia gibberulosa 553
Trichopezizella relicina var relicina 236
Reticulitermes (animal)
Termitaria snyderi 446
Rhododendron
Myriophacidium aphyophyllicum 691
Ribes
Bullera alba 334
Robinia
Gyrothrix pediculata 123

Rosa
Lambertella fructicola 344
Tilletiopsis washingtonensis 334
Rubus
Typhula erythropus 301

Salix
Hemitrichia calyculata 888
Melampsora epitea 243
Salmo (animal)
Exophiala 518
Salvelinus (animal)
Exophiala 518
Sambucus
Trichopezizella relicina var relicina 236, 237
Sassafras
Cristulariella pyramidalis 713
Schrankia
Ravenelia texensis 548
Scirpus
Trichopezizella badiella 239
Sedum
Tilletiopsis washingtonensis 334
Seymeria
Puccinia seymeriae 552
Soja
Erysiphe polygoni 894
Sonchus
Trichopezizella relicina var relicina 235
Sorghum
Bipolaris maydis 286
Spartina
Claviceps purpurea 978
Sphenopholis
Epichloë typhina 80, 81
Spiraea
Trichopezizella barbata 232; nidulus 218
Spiranthes
Puccinia spiranthicola 894
Sporobolus
Epichloë cinerea 84
Stachys
Sporobolomyces pararoseus 334
Stachys
Tilletiopsis washingtonensis 334
Stipa
Epichloë typhina 81
Strongylodon
Sphaerophragmium irregulare 796

Taraxacum
Sporobolomyces albo-rubescens 334; pararoseus 334
Tilletiopsis minor 334
Thalictrum
Trichopezizella relicina var relicina 236
Thuja
Caeoma deformans 247
Thujopsis
Caeoma deformans 247
Tillandsia
Puccinia tillandsiae 533
Uredo nidularii 536
Torreya
Caeoma torreyae 253
Triticum
Trichopezizella horridula 230
Tsuga
Caeoma dubium 243
Melampsora epitea f sp tsugae 243

Uca (animal)
Aspergillus niger 673
Cephalosporium roseo-griseum 673
Fusarium nivale 673
Mucor 673
Penicillium frequentans 673; tardum 673
Pestalotia 673
Rhodotorula mucilaginosa 673
Trichoderma lignorum 673
Ulmus
Taphrina ulmi 757
Ulothrix
Rhizophydium karlingii 148
Uranotaenia (animal)
Culicinomyces clavosporus 377
Urtica
Typhula erythropus 301

Veratrum
Trichopezizella relicina var macrospora 238
Viburnum
Lambertella fructicola 344
Vitis
Guignardia bidwellii 4

Zea
Bipolaris rostrata 281
Exserohilum prolatum 290
Helminthosporium rostratum 281
Setosphaeria prolata 294